




















STÅLBOLTE

2



SIDE


| | | |
|---|--|---------------------------------------|
|  | DIN 931/933 8.8 UBEH DIN 931/933 8.8 FZB DIN 931/933 8.8 GULKROM | 2:1, 2:2, 2:3 2:4, 2:5, 2:6 2:7 |
|  | DIN 933 8.8 UBEH DIN 933 8.8 FZB | 2:8, 2:9 2:10, 2:11 |
|  | ISO 4017/4014 8.8 UBEH, FZB, FZV | 2:12 |
|  | ISO 4017 8.8 UBEH, FZB, FZV | 2:13 |
|  | DIN 931/933 8.8 FZV | 2:14, 2:15 |
|  | DIN 933 8.8 FZV | 2:16 |
|  | DIN 960/961 8.8 FINGEVIND UBEH DIN 960/961 10.9 FINGEVIND UBEH | 2:17 2:18 |
|  | ISO 4017/4014 10.9 UBEH | 2:19 |
|  | DIN 933 10.9 UBEH | 2:19 |
|  | DIN 931/933 10.9 UBEH | 2:20 |
|  | DIN 558 4.6 UBEH | 2:21 |
|  | DIN 601 4.6 FZB | 2:22 |
|  | DIN 933-Sz 8.8 FZB | 2:23 |
|  | STÅLBOLT MED FLANGE 8.8 FZB DIN 6921 8.8 FZB | 2:24 2:24 |
|  | TENSILOK® KLASSE 90 UBEH DIN 6921 8.8 FZB | 2:25 2:25 |
|  | DIN 6914 10.9 UBEH DIN 6914 10.9 FZV | 2:26 2:27 |
|  | STÅLBOLT UNF-GEVIND 8.8 UBEH STÅLBOLT UNF-GEVIND 8.8 FZB | 2:28 2:29 |
|  | STÅLBOLT UNC-GEVIND 8.8 UBEH STÅLBOLT UNC-GEVIND 8.8 FZB STÅLBOLT UNC-GEVIND 8.8 FZV | 2:30, 2:31 2:32 2:33 |
|  | STÅLBOLT W-GEVIND 8.8 UBEH, FZB | 2:33 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 UBEHANDLET

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M3 | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 | M16 |
|-----|-------------------|--------|-------|--------|--------|--------|--------|--------|--------|---------|
| N | 5,5 | 7 | 8 | 10 | 11 | 13 | 17 | 19 | 22 | 24 |
| H | 2 | 2,8 | 3,5 | 4 | 5 | 5,5 | 7 | 8 | 9 | 10 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 5 | 421:- | | | | | | | | | |
| 6 | 142:- | 189:- | 285:- | 490:- | | | | | | |
| 8 | 129:- | 182:- | 99:- | 148:- | | 540:- | | | | |
| 10 | 168:- | 182:- | 99:- | 84:- | | 258:- | 1466:- | | | |
| 12 | 176:- | 202:- | 101:- | 56:- | 518:- | 119:- | 748:- | 2340:- | | |
| 14 | 204:- | 202:- | 113:- | 95:- | | 233:- | 460:- | 2650:- | | |
| 16 | 200:- | 202:- | 101:- | 62:- | 398:- | 93:- | 268:- | 628:- | 1456:- | 4951:- |
| 18 | 231:- | 215:- | 118:- | 118:- | | 183:- | 330:- | 668:- | | |
| 20 | 480:- | 208:- | 108:- | 72:- | 420:- | 139:- | 212:- | 350:- | 1546:- | 1175:- |
| 22 | | 249:- | 126:- | 123:- | | 147:- | 295:- | 580:- | | |
| 25 | 485:- | 408:- | 126:- | 72:- | 488:- | 140:- | 226:- | 360:- | 1478:- | 1175:- |
| 30 | 490:- | 415:- | 202:- | 114:- | 600:- | 167:- | 238:- | 391:- | 1867:- | 858:- |
| 35 | 500:- | 448:- | 224:- | 118:- | 600:- | 193:- | 349:- | 431:- | 1995:- | 985:- |
| 40 | 520:- | 473:- | 237:- | 140:- | 660:- | 195:- | 412:- | 440:- | 1995:- | 990:- |
| 45 | 2180:- | 488:- | 242:- | 207:- | 720:- | 254:- | 420:- | 579:- | 2050:- | 1043:- |
| 50 | 2205:- | 535:- | 273:- | 214:- | 780:- | 276:- | 452:- | 649:- | 2050:- | 1121:- |
| 55 | | 1110:- | 310:- | 248:- | 840:- | 378:- | 552:- | 740:- | 2100:- | 1200:- |
| 60 | | 1270:- | 313:- | 283:- | 1080:- | 400:- | 560:- | 748:- | 2100:- | 1290:- |
| 65 | | | 470:- | 350:- | | 448:- | 567:- | 800:- | 2200:- | 1400:- |
| 70 | | 2500:- | 485:- | 370:- | | 480:- | 688:- | 921:- | 2200:- | 1495:- |
| 75 | | | 675:- | 395:- | | 530:- | 750:- | 930:- | 2300:- | 1550:- |
| 80 | | | 613:- | 438:- | | 555:- | 784:- | 933:- | 2300:- | 1553:- |
| 90 | | | | 725:- | | 705:- | 864:- | 1255:- | 3065:- | 1701:- |
| 100 | | | | 870:- | | 770:- | 953:- | 1290:- | 3300:- | 2280:- |
| 110 | | | | 1090:- | | 780:- | 1200:- | 1535:- | 3675:- | 2600:- |
| 120 | | | | 1165:- | | 1080:- | 1225:- | 1735:- | 4165:- | 2900:- |
| 130 | | | | | | 1500:- | 1405:- | 1760:- | 5110:- | 2950:- |
| 140 | | | | | | 1600:- | 1645:- | 1895:- | 5200:- | 3425:- |
| 150 | | | | | | 1862:- | 2750:- | 2230:- | 6125:- | 4100:- |
| 160 | | | | | | 1967:- | 2800:- | 2950:- | 6720:- | 4500:- |
| 170 | | | | | | | 3100:- | 4200:- | | 9200:- |
| 180 | | | | | | | 2400:- | 3200:- | 4225:- | 7840:- |
| 190 | | | | | | | 2563:- | | | 9900:- |
| 200 | | | | | | | | 3675:- | 5100:- | 9275:- |
| 210 | | | | | | | | 6500:- | | 7475:- |
| 220 | | | | | | | | 6965:- | 7630:- | 12390:- |
| | | | | | | | | | | 7500:- |

BEST.EX: DIN 933 8.8 M3 x 5 UBEHANDLET
DATA.EX: 933803005

*M3 leveres kun som sætskruer

PAKKEPROGRAM


| STK. | M3 | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 | M16 |
|------|-------|------|------|-------|-------|---------|---------|--------|--------|--------|
| 500 | 20-40 | | | | | | | | | |
| 200 | 5-18 | 6-60 | 6-80 | 6-120 | 12-60 | 8-65 | 10-35 | | | |
| 100 | 45-50 | 70 | | | | 70-150 | 40-80 | 12-50 | | |
| 50 | | | | | | 160-190 | 90-200 | 55-80 | 16-65 | 16-35 |
| 25 | | | | | | | 210-220 | 90-220 | 70-220 | 40-220 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 UBEHANDLET

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 | M42 | M48 |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|
| N | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 | 65 | 75 |
| H | 12 | 13 | 14 | 15 | 17 | 19 | 21 | 23 | 26 | 30 |
| PRIS PR. 100 STK | | | | | | | | | | |
| 25 | 2950:- | 3150:- | | | | | | | | |
| 30 | 2950:- | 2265:- | | 10800:- | | | | | | |
| 35 | 3025:- | 2575:- | | 5900:- | | | | | | |
| 40 | 3000:- | 2120:- | 4375:- | 3950:- | 19800:- | 22440:- | | | | |
| 45 | 3150:- | 2180:- | 5775:- | 4175:- | | 22440:- | | | | |
| 50 | 3200:- | 2395:- | 5550:- | 3950:- | 17055:- | 22440:- | | 35850:- | | |
| 55 | 3525:- | 2490:- | 6450:- | 4225:- | | 22440:- | | 35850:- | | |
| 60 | 3800:- | 2500:- | 5850:- | 4225:- | 9975:- | 11900:- | 22000:- | 19800:- | | |
| 65 | 3875:- | 2700:- | 7600:- | 4925:- | 12450:- | 14200:- | | 21850:- | | |
| 70 | 3950:- | 2875:- | 7600:- | 4800:- | 10600:- | 14650:- | 22000:- | 21850:- | 84150:- | |
| 75 | 4200:- | 2975:- | 7700:- | 5425:- | | 15000:- | 29000:- | 23000:- | | |
| 80 | 4025:- | 3050:- | 7700:- | 5200:- | 10650:- | 10850:- | 17750:- | 23000:- | 86625:- | |
| 90 | 4325:- | 3325:- | 7800:- | 5475:- | 11850:- | 12000:- | 18900:- | 23250:- | 89925:- | |
| 100 | 4775:- | 3700:- | 7850:- | 5925:- | 11900:- | 12800:- | 19000:- | 24000:- | 94050:- | 99000:- |
| 110 | 5675:- | 4775:- | 7900:- | 6725:- | 11950:- | 13450:- | 20600:- | 25100:- | | |
| 120 | 5700:- | 4800:- | 8525:- | 7350:- | 12000:- | 13800:- | 21900:- | 25200:- | 80325:- | 119000:- |
| 130 | 5975:- | 5050:- | 9400:- | 8100:- | 12850:- | 17750:- | 22750:- | 26500:- | 84375:- | |
| 140 | 7300:- | 5275:- | 10750:- | 8200:- | 13950:- | 17800:- | 22800:- | 26650:- | 87750:- | 130000:- |
| 150 | 7650:- | 5850:- | 11200:- | 9900:- | 14000:- | 21750:- | 25850:- | 31500:- | 93150:- | 135000:- |
| 160 | 8275:- | 7000:- | 11300:- | 10250:- | 14100:- | 21800:- | 27000:- | 31600:- | 95175:- | 140000:- |
| 170 | | 9500:- | | 16000:- | 19000:- | 29000:- | 49000:- | 32000:- | 98000:- | 190000:- |
| 180 | 11200:- | 8325:- | 18050:- | 11400:- | 14200:- | 22000:- | 44800:- | 32000:- | 105300:- | 160000:- |
| 190 | | 12000:- | | 19600:- | 23500:- | 29500:- | 52000:- | 49000:- | | |
| 200 | 15700:- | 10000:- | 18100:- | 13950:- | 17950:- | 22900:- | 47600:- | 33600:- | 112725:- | 165000:- |
| 210 | | 14000:- | | 19900:- | | 32000:- | | 59000:- | | |
| 220 | 19000:- | 12000:- | 18850:- | 15200:- | 18000:- | 23600:- | 59925:- | 36000:- | 128925:- | 192000:- |

BEST.EX: DIN 933 8.8 M18 x 25 UBEHANDLET
DATA.EX: 933818025

PAKKEPROGRAM


| STK. | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 | M42 | M48 |
|------|--------|---------|---------|---------|--------|--------|--------|--------|--------|---------|
| 50 | 25-50 | | | | | | | | | |
| 25 | 55-200 | 25-150 | 40-90 | 30-80 | | | | | | |
| 10 | 220 | 160-200 | 100-200 | 90-200 | | | | | | |
| LØSE | | 210-220 | 220 | 210-220 | 40-220 | 40-220 | 60-220 | 50-220 | 70-220 | 100-220 |

STÅLBOLT

DIN 931

8.8 UBEHANDLET

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M12 | M14 | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M36 |
|---|-------------------|----------|---------|---------|---------|----------|---------|----------|----------|----------|
| N | 19 | 22 | 24 | 27 | 30 | 32 | 36 | 41 | 43 | 55 |
| H | 8 | 9 | 10 | 12 | 13 | 14 | 15 | 17 | 19 | 23 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 230 | | | 14850:- | | 29550:- | | 39510:- | | | 75000:- |
| 240 | 12420:- | 20500:- | 16750:- | 23300:- | 17250:- | 42000:- | 35000:- | 47000:- | 52000:- | 75700:- |
| 250 | 13680:- | | 16785:- | | 32520:- | | 37000:- | 49500:- | 57000:- | 80000:- |
| 260 | 13680:- | 20900:- | 17700:- | 23500:- | 26100:- | 44500:- | 37500:- | 49500:- | 58000:- | 81000:- |
| 280 | 14940:- | 25200:- | 18650:- | 33300:- | 30100:- | 46500:- | 38000:- | 58400:- | 67200:- | 91800:- |
| 300 | 15000:- | 25500:- | 22800:- | 35200:- | 36000:- | 50600:- | 45500:- | 66100:- | 75900:- | 94900:- |
| 320 | 23580:- | | 27900:- | | 36700:- | | 48600:- | | 96000:- | 129000:- |
| 340 | 25950:- | | 27950:- | | 42500:- | 118935:- | 54000:- | | 97100:- | 133200:- |
| 350 | | | | | 51285:- | | 57000:- | | 97500:- | |
| 360 | 29085:- | | 40600:- | | 42500:- | 121845:- | 57000:- | | 97600:- | 144300:- |
| 380 | | | 40800:- | | 54800:- | 124875:- | 63200:- | | 111000:- | 159000:- |
| 400 | 39300:- | 104700:- | 41000:- | | 58100:- | 127845:- | 65600:- | 109020:- | 111100:- | 168000:- |
| 420 | | | 48000:- | | 59220:- | | 89000:- | 115740:- | 130000:- | 198000:- |
| 440 | | | 48600:- | | 73335:- | 133860:- | 95400:- | | 140000:- | 207200:- |
| 460 | | | 73800:- | | 91400:- | 136755:- | 95700:- | | 143700:- | 208000:- |
| 480 | | | | | 91600:- | | 98000:- | | 151000:- | |
| 500 | | | 98100:- | | 92200:- | | 98700:- | 158600:- | 153000:- | 240000:- |
| BEST.EX: DIN 931 8.8 M12 x 240 UBEHANDLET DATA.EX: 931812240 | | | | | | | | | | |

PAKKEPROGRAM


| STK. | M12 | M14 | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M36 |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 25 | 240-400 | 240-400 | 230-300 | | | | | | | |
| 10 | | | 320-500 | 240-300 | | | | | | |
| LØSE | | | | | 230-500 | 240-460 | 230-500 | 240-500 | 240-500 | 230-500 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 FZB

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M3* | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 | M16 |
|-----|-------------------|-------|--------|--------|-------|--------|--------|--------|---------|--------|
| N | 5,5 | 7 | 8 | 10 | 11 | 13 | 17 | 19 | 22 | 24 |
| H | 2 | 2,8 | 3,5 | 4 | 5 | 5,5 | 7 | 8 | 9 | 10 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 5 | 368:- | | | | | | | | | |
| 6 | 164:- | 180:- | 198:- | 291:- | | | | | | |
| 8 | 162:- | 52:- | 78:- | 76:- | | 256:- | | | | |
| 10 | 164:- | 54:- | 54:- | 59:- | | 163:- | 990:- | | | |
| 12 | 172:- | 54:- | 54:- | 49:- | 970:- | 95:- | 380:- | 1900:- | | |
| 14 | 191:- | 98:- | 67:- | 52:- | | 110:- | 245:- | 2700:- | | |
| 16 | 210:- | 55:- | 54:- | 59:- | 450:- | 89:- | 190:- | 319:- | 3900:- | 4900:- |
| 18 | | 121:- | 72:- | 76:- | | 136:- | 390:- | 860:- | | |
| 20 | 390:- | 62:- | 55:- | 59:- | 450:- | 96:- | 173:- | 290:- | 1400:- | 820:- |
| 22 | | 119:- | 85:- | 85:- | | 124:- | 274:- | 620:- | | |
| 25 | 450:- | 160:- | 59:- | 65:- | 490:- | 98:- | 185:- | 295:- | 646:- | 627:- |
| 30 | 460:- | 180:- | 74:- | 75:- | 495:- | 124:- | 212:- | 299:- | 676:- | 680:- |
| 35 | 470:- | 212:- | 83:- | 85:- | 550:- | 146:- | 229:- | 322:- | 610:- | 690:- |
| 40 | 490:- | 290:- | 85:- | 86:- | 590:- | 161:- | 257:- | 369:- | 610:- | 719:- |
| 45 | 1200:- | 295:- | 124:- | 98:- | 680:- | 186:- | 308:- | 440:- | 756:- | 780:- |
| 50 | 1762:- | 298:- | 129:- | 113:- | 690:- | 194:- | 315:- | 442:- | 756:- | 825:- |
| 55 | | 700:- | 199:- | 150:- | 780:- | 230:- | 410:- | 575:- | 880:- | 1100:- |
| 60 | | 750:- | 225:- | 159:- | 855:- | 235:- | 417:- | 579:- | 890:- | 1150:- |
| 65 | | | 290:- | 168:- | | 265:- | 430:- | 590:- | 1150:- | 1190:- |
| 70 | | 790:- | 290:- | 190:- | 890:- | 275:- | 448:- | 595:- | 1150:- | 1200:- |
| 75 | | | 450:- | 226:- | | 285:- | 493:- | 650:- | 1400:- | 1250:- |
| 80 | | | 450:- | 270:- | 990:- | 296:- | 493:- | 690:- | 1600:- | 1300:- |
| 90 | | | 1200:- | 349:- | | 371:- | 589:- | 750:- | 1750:- | 1350:- |
| 100 | | | 1900:- | 390:- | | 390:- | 595:- | 790:- | 1800:- | 1455:- |
| 110 | | | 2000:- | 495:- | | 559:- | 683:- | 990:- | 2200:- | 1679:- |
| 120 | | | 2400:- | 590:- | | 623:- | 695:- | 1080:- | 2300:- | 1940:- |
| 130 | | | | 690:- | | 813:- | 861:- | 1200:- | 2500:- | 2400:- |
| 140 | | | | 1990:- | | 950:- | 1090:- | 1280:- | 3600:- | 2450:- |
| 150 | | | | 2900:- | | 990:- | 1200:- | 1370:- | 3900:- | 2900:- |
| 160 | | | | | | 1900:- | 1950:- | 1900:- | 4600:- | 3600:- |
| 170 | | | | | | 3500:- | 2300:- | 3800:- | | 5500:- |
| 180 | | | | | | 1950:- | 2800:- | 3600:- | 6500:- | 3900:- |
| 200 | | | | | | 3900:- | 3200:- | 4500:- | 9900:- | 6200:- |
| 210 | | | | | | 4200:- | | 9000:- | | |
| 220 | | | | | | | 5700:- | 5600:- | 11000:- | 8700:- |

BEST.EX: DIN 933 8.8 M3 x 5 FZB
DATA.EX: 9338030051

*M3 leveres kun som sætskruer

PAKKEPROGRAM


| STK. | M3 | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 | M16 |
|------|-------|------|--------|---------|-------|---------|--------|--------|--------|--------|
| 500 | 20-40 | | | | | | | | | |
| 200 | 5-16 | 6-70 | 6-80 | 6-130 | 12-80 | 8-65 | 10-35 | | | |
| 100 | 45-50 | | 90-120 | 140-150 | | 70-150 | 40-80 | 12-50 | | |
| 50 | | | | | | 160-210 | 90-200 | 55-80 | 16-65 | 16-35 |
| 25 | | | | | | | 220 | 90-220 | 70-220 | 40-220 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 FZB

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 | M42 | M48 |
|-----|-------------------|---------|---------|---------|---------|---------|---------|---------|----------|----------|
| N | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 | 65 | 75 |
| H | 12 | 13 | 14 | 15 | 17 | 19 | 21 | 23 | 26 | 30 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 25 | 5100:- | 4300:- | | | | | | | | |
| 30 | 5100:- | 3025:- | | | | | | | | |
| 35 | 5100:- | 2250:- | | 4050:- | | | | | | |
| 40 | 3825:- | 1500:- | 7800:- | 3450:- | 16500:- | 24750:- | | | | |
| 45 | 3925:- | 1600:- | 7050:- | 3450:- | | 24900:- | | | | |
| 50 | 4075:- | 1500:- | 7500:- | 3200:- | 19050:- | 25350:- | | 31500:- | | |
| 55 | 4325:- | 1600:- | 8250:- | 3835:- | | 25500:- | | 31500:- | | |
| 60 | 4750:- | 1650:- | 8400:- | 3900:- | 17550:- | 21000:- | 27600:- | 33900:- | | |
| 65 | 4800:- | 1915:- | 9450:- | 4740:- | 17700:- | 22800:- | | 34050:- | | |
| 70 | 4800:- | 2100:- | 9600:- | 4800:- | 21600:- | 22800:- | 30300:- | 35250:- | 63000:- | |
| 75 | 5325:- | 2300:- | 9750:- | 5200:- | | 24300:- | 31500:- | 36000:- | | |
| 80 | 5325:- | 2350:- | 10650:- | 5900:- | 16350:- | 24450:- | 31350:- | 38000:- | 64500:- | |
| 90 | 5750:- | 2400:- | 10650:- | 6000:- | 17850:- | 25650:- | 31350:- | 39000:- | 66000:- | |
| 100 | 6350:- | 2550:- | 11700:- | 6100:- | 19200:- | 28350:- | 35100:- | 42450:- | 88950:- | 103500:- |
| 110 | 7450:- | 3050:- | 12600:- | 7600:- | 21000:- | 30150:- | 37200:- | 44850:- | | |
| 120 | 7500:- | 3150:- | 13350:- | 7700:- | 22350:- | 31650:- | 39000:- | 47250:- | 89000:- | 105000:- |
| 130 | 8700:- | 3865:- | 14400:- | 8100:- | 23100:- | 33300:- | 40950:- | 50700:- | 93600:- | |
| 140 | 9600:- | 4150:- | 15300:- | 8200:- | 23850:- | 35100:- | 43050:- | 52650:- | 94500:- | 134550:- |
| 150 | 10650:- | 4700:- | 16650:- | 8500:- | 24750:- | 36000:- | 44550:- | 54600:- | 103350:- | 146250:- |
| 160 | 11850:- | 5700:- | 18600:- | 9200:- | 25500:- | 38100:- | 52650:- | 60450:- | 107250:- | 146250:- |
| 170 | 17700:- | 7900:- | | 14000:- | | | | | | |
| 180 | 15000:- | 6500:- | 22950:- | 10500:- | 27000:- | 40950:- | 54600:- | 65250:- | 118050:- | 157950:- |
| 190 | | 10800:- | | | | 43050:- | 55500:- | | | |
| 200 | 20250:- | 10800:- | 28350:- | 10900:- | 31650:- | 43350:- | 56550:- | 65500:- | 124800:- | 165750:- |
| 210 | | | | | | | | | | |
| 220 | | 14000:- | 31950:- | 12600:- | 40500:- | 47100:- | 58500:- | 66000:- | 129000:- | 180000:- |

BEST.EX: DIN 933 8.8 M18 x 25 FZB
DATA.EX: 9338180251


PAKKEPROGRAM

| STK. | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 | M42 | M48 |
|------|--------|---------|---------|--------|--------|--------|--------|--------|--------|---------|
| 50 | 25-50 | | | | | | | | | |
| 25 | 55-200 | 25-150 | 40-90 | 35-80 | | | | | | |
| 10 | | 160-200 | 100-200 | 90-200 | | | | | | |
| LØSE | | 220 | 220 | 220 | 40-220 | 40-220 | 60-220 | 50-220 | 70-220 | 100-220 |

STÅLBOLT

DIN 931
8.8 FZB

Gevindlængde
≥ 2 x d + 6 mm
for L ≤ 125 mm



| d | M12 | M14 | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M36 |
|-----|-------------------|----------|----------|---------|----------|----------|----------|---------|----------|----------|
| N | 19 | 22 | 24 | 27 | 30 | 32 | 36 | 41 | 46 | 55 |
| H | 8 | 9 | 10 | 12 | 13 | 14 | 15 | 17 | 19 | 23 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 230 | | | 17265:- | | 33405:- | | 45135:- | | | 95100:- |
| 240 | 13815:- | 21000:- | 17370:- | 39400:- | 18000:- | 53260:- | 47280:- | 54480:- | 67050:- | 95595:- |
| 250 | 15100:- | 21400:- | 19410:- | | 36675:- | | 48000:- | | 85020:- | 99500:- |
| 260 | 15195:- | 21500:- | 19500:- | 43360:- | 36840:- | 65440:- | 48885:- | 58755:- | 73965:- | 100935:- |
| 280 | 16560:- | 27140:- | 26055:- | 49320:- | 41625:- | 73000:- | 56880:- | 63030:- | 74655:- | 106215:- |
| 300 | 18060:- | 29160:- | 29145:- | 56620:- | 47415:- | 80640:- | 62610:- | 71595:- | 78120:- | 111240:- |
| 320 | 31440:- | | 32640:- | | 50295:- | | 74940:- | | 102800:- | 135720:- |
| 340 | | | 39360:- | | 53760:- | 158000:- | 76280:- | | 105120:- | 140955:- |
| 350 | | | | | 68380:- | | 79560:- | | 112400:- | |
| 360 | | | 44280:- | | 68380:- | 162000:- | 79560:- | | 112400:- | 146490:- |
| 380 | | | 54120:- | | 73340:- | | 84520:- | | 119840:- | 159590:- |
| 400 | 52400:- | 139600:- | 61500:- | | 76780:- | 170000:- | 90900:- | | 132080:- | 170000:- |
| 420 | | | 68900:- | | 78960:- | | 97540:- | | 137120:- | 199000:- |
| 440 | | | 78700:- | | 97780:- | 178000:- | 104680:- | | 161520:- | 210000:- |
| 460 | | | 98400:- | | 98800:- | 182000:- | 111480:- | | 182880:- | 211000:- |
| 480 | | | | | 99800:- | | 118620:- | | 216400:- | |
| 500 | | | 118000:- | | 100800:- | | 126520:- | | 233680:- | 245000:- |

BEST.EX: DIN 931 8.8 M12 x 240 FZB
DATA.EX: 9318122401


PAKKEPROGRAM

| STK. | M12 | M14 | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M36 |
|------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 25 | 240-400 | 240-400 | 230-300 | | | | | | | |
| 10 | | | 320-500 | 240-300 | | | | | | |
| LØSE | | | | | 230-500 | 240-460 | 230-500 | 240-300 | 240-500 | 230-500 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933
8.8 GULKROM

Gevindlængde
≥ 2 x d + 6 mm
for L ≤ 125 mm



| d | M5 | M6 | M8 | M10 | M12 | M14 | M16 |
|---|--------------------------|-------|--------|--------|--------|--------|--------|
| N | 8 | 10 | 13 | 17 | 19 | 22 | 24 |
| H | 3,5 | 4 | 5,5 | 7 | 8 | 9 | 10 |
| L | PRIS PR. 100 STK. | | | | | | |
| 10 | | 95:- | | | | | |
| 12 | | 95:- | 145:- | | | | |
| 14 | 69:- | | | 289:- | | | |
| 16 | 63:- | 95:- | 146:- | | | | |
| 18 | | | 195:- | | | | |
| 20 | 100:- | 96:- | 149:- | 349:- | | | |
| 22 | | 98:- | 165:- | | | | |
| 25 | 115:- | 110:- | 170:- | 350:- | 390:- | | |
| 30 | | 188:- | 190:- | 360:- | 450:- | | 1598:- |
| 35 | | 191:- | 250:- | 387:- | 470:- | 1900:- | |
| 40 | | 195:- | 260:- | 407:- | 490:- | 1900:- | 1849:- |
| 45 | | 207:- | 290:- | 490:- | 550:- | | 1915:- |
| 50 | | 350:- | 360:- | 563:- | 650:- | 1950:- | 2100:- |
| 55 | | 360:- | 370:- | 690:- | | | 2200:- |
| 60 | | 370:- | 371:- | 823:- | 845:- | | 2300:- |
| 65 | | | | | 940:- | | |
| 70 | | | | 890:- | 950:- | | |
| 75 | | | | 900:- | | | |
| 80 | | | | 936:- | 980:- | 2100:- | |
| 90 | | | | 950:- | 1100:- | 2195:- | |
| 100 | | | | 990:- | 1200:- | 2400:- | 3100:- |
| 110 | | | 1900:- | 1050:- | 1400:- | 2900:- | 4300:- |
| 120 | | | | 1100:- | 1600:- | | |
| 130 | | | | 1700:- | 1900:- | | |
| 140 | | | | 1900:- | 2500:- | | 4500:- |
| BEST.EX: DIN 933 8.8 M5 x 14 GULKROM DATA.EX: 9338050143 | | | | | | | |


PAKKEPROGRAM

| STK. | M5 | M6 | M8 | M10 | M12 | M14 | M16 |
|------|-------|-------|-------|--------|--------|--------|--------|
| 200 | 14-25 | 10-60 | 12-60 | 14-35 | | | |
| 100 | | | | 40-80 | 25-50 | | |
| 50 | | | 110 | 90-140 | 60-80 | 35-50 | 30 |
| 25 | | | | | 90-140 | 80-110 | 40-140 |

STÅLSÆTSKRUE

DIN 933

8.8 UBEHANDLET



| d | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 |
|--|--|-----|----|----|-----|-----|-----|-----|
| N | 7 | 8 | 10 | 11 | 13 | 17 | 19 | 22 |
| H | 2,8 | 3,5 | 4 | 5 | 5,5 | 7 | 8 | 9 |
| L | PRIS PR. 100 STK. | | | | | | | |
| 25 | 227:- | | | | | | | |
| 30 | 250:- 193:- 120:- 395:- | | | | | | | |
| 35 | 261:- 195:- 134:- 440:- 213:- | | | | | | | |
| 40 | 278:- 199:- 148:- 479:- 233:- 356:- | | | | | | | |
| 45 | 280:- 214:- 217:- 512:- 286:- 426:- 574:- | | | | | | | |
| 50 | 335:- 236:- 220:- 597:- 333:- 446:- 612:- 1875:- | | | | | | | |
| 55 | 383:- 468:- 615:- 772:- 2175:- | | | | | | | |
| 60 | 432:- 500:- 665:- 825:- 2175:- | | | | | | | |
| 65 | 558:- 689:- 1022:- 1242:- 2415:- | | | | | | | |
| 70 | 698:- 861:- 1022:- 1242:- 2415:- | | | | | | | |
| 75 | 827:- 1035:- 1152:- 1418:- 3000:- | | | | | | | |
| 80 | 827:- 1035:- 1440:- 1785:- 3000:- | | | | | | | |
| 90 | 1475:- 1221:- 1725:- 2145:- 4245:- | | | | | | | |
| 100 | 2280:- 1407:- 2040:- 2385:- 4890:- | | | | | | | |
| 110 | 1815:- 2775:- 3660:- 8895:- | | | | | | | |
| 120 | 1890:- 2850:- 3720:- 8900:- | | | | | | | |
| 130 | 3795:- 4455:- | | | | | | | |
| 140 | 3945:- 4620:- | | | | | | | |
| 150 | 4335:- 5010:- | | | | | | | |
| 160 | 9705:- | | | | | | | |
| 180 | 11850:- | | | | | | | |
| 200 | 14310:- | | | | | | | |
| <p>BEST.EX: DIN 933 8.8 M4 x 25 UBEHANDLET DATA.EX: 933804025</p> | | | | | | | | |


PAKKEPROGRAM

| STK. | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 |
|------|-------|-------|--------|-------|--------|--------|--------|--------|
| 200 | 25-50 | 30-50 | 30-80 | 30-50 | 35-65 | | | |
| 100 | | | 90-100 | | 70-120 | 40-80 | 45-50 | |
| 50 | | | | | | 90-150 | 55-80 | 50-65 |
| 25 | | | | | | | 90-200 | 70-120 |

STÅLSÆTSKRUE

DIN 933

8.8 UBEHANDLET




| d | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 |
|---|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| N | 24 | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 |
| H | 10 | 12 | 13 | 14 | 15 | 17 | 19 | 21 | 23 |
| L | PRIS PR. 100 STK. | | | | | | | | |
| 55 | 1405:- | | | | | | | | |
| 60 | 1474:- | 4890:- | | | | | | | |
| 65 | 2100:- | 5235:- | 2580:- | | | | | | |
| 70 | 2100:- | 5235:- | 2655:- | 11010:- | | | | | |
| 75 | 2490:- | 6075:- | 3390:- | 12015:- | 5970:- | | | | |
| 80 | 3105:- | 6075:- | 3285:- | 12015:- | 5550:- | | | | |
| 90 | 4050:- | 7845:- | 4920:- | 12015:- | 8460:- | 19695:- | 27030:- | | |
| 100 | 4635:- | 7845:- | 7005:- | 15000:- | 11415:- | 20985:- | 27915:- | 37050:- | |
| 110 | 6120:- | 10275:- | 7770:- | 18090:- | 13320:- | | 29550:- | 40515:- | 46695:- |
| 120 | 6585:- | 10275:- | 8595:- | 18090:- | 13815:- | 26910:- | 31260:- | 40515:- | 48015:- |
| 130 | 6855:- | 17835:- | 11130:- | | 23625:- | 27165:- | 33840:- | 48420:- | 51450:- |
| 140 | 7245:- | 19275:- | 12855:- | | 25080:- | 33840:- | 35160:- | 52395:- | 52965:- |
| 150 | 8160:- | 20715:- | 14700:- | | 26400:- | 35655:- | 36480:- | 55350:- | 55955:- |
| 160 | 13485:- | | 16005:- | | 27855:- | 39690:- | 40695:- | 61545:- | 58305:- |
| 180 | 15255:- | | 24570:- | | 30945:- | | 44520:- | | |
| 200 | 18345:- | | 26775:- | | 35985:- | | 47550:- | | |
| <p>BEST.EX: DIN 933 8.8 M16 x 55 UBEHANDLET DATA.EX: 933816055</p> | | | | | | | | | |

PAKKEPROGRAM

| STK. | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 |
|------|--------|--------|---------|---------|--------|--------|--------|---------|---------|
| 25 | 55-200 | 60-150 | 65-150 | 70-90 | 75-80 | | | | |
| 10 | | | 160-200 | 100-120 | 90-200 | | | | |
| LØSE | | | | | | 90-160 | 90-200 | 100-160 | 110-160 |

STÅLSÆTSKRUE

DIN 933
8.8 FZB



| d | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 |
|-----|--------------------------|--------|--------|-------|--------|---------|---------|--------|
| N | 7 | 8 | 10 | 11 | 13 | 17 | 19 | 22 |
| H | 2,8 | 3,5 | 4 | 5 | 5,5 | 7 | 8 | 9 |
| L | PRIS PR. 100 STK. | | | | | | | |
| 20 | | | | | | | | |
| 25 | 245:- | | | | | | | |
| 30 | 269:- | 160:- | 90:- | 464:- | | | | |
| 35 | 291:- | 161:- | 174:- | 565:- | 148:- | | | |
| 40 | 311:- | 213:- | 191:- | 565:- | 189:- | 241:- | | |
| 45 | 315:- | 246:- | 264:- | 650:- | 230:- | 348:- | 423:- | |
| 50 | 320:- | 272:- | 272:- | 750:- | 249:- | 369:- | 485:- | 2370:- |
| 55 | | 403:- | 458:- | | 490:- | 465:- | 585:- | 2685:- |
| 60 | 390:- | 411:- | 512:- | | 490:- | 535:- | 590:- | 2715:- |
| 65 | | | 643:- | | 695:- | 550:- | 930:- | 2985:- |
| 70 | | 1215:- | 788:- | | 695:- | 580:- | 935:- | 3015:- |
| 75 | | 3255:- | 923:- | | 950:- | 690:- | 950:- | 3630:- |
| 80 | | | 928:- | | 695:- | 638:- | 955:- | 3660:- |
| 90 | | | 1590:- | | 1150:- | 1600:- | 2640:- | 4965:- |
| 100 | 3345:- | | 2415:- | | 1280:- | 1900:- | 2940:- | 5685:- |
| 110 | | | | | 2070:- | 3195:- | 4245:- | 6500:- |
| 120 | | | | | 2160:- | 3300:- | 4365:- | |
| 130 | | | 4206:- | | 3345:- | 4275:- | 5130:- | |
| 140 | | | | | 4125:- | 4440:- | 5340:- | |
| 150 | | | | | 4980:- | 4875:- | 5775:- | |
| 160 | | | | | | 7350:- | 10515:- | |
| 180 | | | | | | 13755:- | 12750:- | |
| 200 | | | | | | 14940:- | 15375:- | |

BEST.EX: DIN 933 8.8 M4 x 25 FZB
DATA.EX: 9338040251


PAKKEPROGRAM

| STK. | M4 | M5 | M6 | M7 | M8 | M10 | M12 | M14 |
|------|-------|--------|--------|-------|---------|---------|--------|--------|
| 200 | 25-60 | 30-70 | 30-80 | 30-50 | 35-65 | | | |
| 100 | | 75-100 | 90-130 | | 70-120 | 40-80 | 45-50 | |
| 50 | | | | | 130-150 | 90-160 | 55-80 | 50-65 |
| 25 | | | | | | 180-200 | 90-200 | 70-110 |

STÅLSÆTSKRUE

DIN 933

8.8 FZB



| d | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 |
|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| N | 24 | 27 | 30 | 32 | 36 | 41 | 46 | 50 | 55 |
| H | 10 | 12 | 13 | 14 | 15 | 17 | 19 | 21 | 23 |
| PRIS PR. 100 STK. | | | | | | | | | |
| 55 | 925:- | | | | | | | | |
| 60 | 980:- | 5835:- | | | | | | | |
| 65 | 2700:- | 6240:- | 2200:- | | | | | | |
| 70 | 2800:- | 6285:- | 2050:- | 12675:- | | | | | |
| 75 | 3200:- | 7185:- | 2300:- | 13770:- | 7620:- | | | | |
| 80 | 3300:- | 7245:- | 4200:- | 13845:- | 7275:- | | | | |
| 85 | | | | | 10815:- | | | | |
| 90 | 4200:- | 10460:- | 6525:- | 14010:- | 10920:- | 22995:- | 31305:- | | |
| 100 | 4500:- | 10460:- | 8745:- | 17160:- | 14040:- | 24525:- | 32475:- | 42780:- | |
| 110 | 7100:- | 13700:- | 9645:- | 20400:- | 16155:- | | 34410:- | 46605:- | 54165:- |
| 120 | 7815:- | 13700:- | 10590:- | 20565:- | 16815:- | 30930:- | 36405:- | 46995:- | 55860:- |
| 130 | 8160:- | 23780:- | 13245:- | | 26820:- | 31425:- | 39285:- | 55200:- | 59730:- |
| 140 | 8640:- | 25700:- | 15105:- | | 28455:- | 38355:- | 40890:- | 59550:- | 61680:- |
| 150 | 9630:- | 27620:- | 17070:- | | 29970:- | 40395:- | 42510:- | 62880:- | 65145:- |
| 160 | 15045:- | | 18510:- | | 31605:- | 44685:- | 46995:- | 69465:- | 67890:- |
| 180 | 16965:- | | 30330:- | | 35055:- | | 51435:- | | 74970:- |
| 200 | 20220:- | | 33075:- | | 40470:- | | 55095:- | | |
| 220 | 21000:- | | 40350:- | | | | | | |
| 240 | | | 44595:- | | 58000:- | | 67080:- | | |
| <p>BEST.EX: DIN 933 8.8 M16 x 55 FZB DATA.EX: 9338160551</p> | | | | | | | | | |

PAKKEPROGRAM


| STK. | M16 | M18 | M20 | M22 | M24 | M27 | M30 | M33 | M36 |
|------|--------|--------|---------|---------|--------|--------|--------|---------|---------|
| 25 | 55-220 | 60-150 | 65-150 | 70-90 | 75-80 | | | | |
| 10 | | | 160-240 | 100-120 | 85-200 | | | | |
| LØSE | | | | | 240 | 90-160 | 90-240 | 100-160 | 110-180 |

STÅLBOLT/STÅLSÆTSKRUE

NØGLEVIDDE SOM ISO 272

ISO 4017/4014

8.8 UBEHANDLET, FZB, FZV




| d | M10 | M12 | M10 | M12 | M14 | M10 | M12 |
|-----|--------------------------|--------|--------|--------|--------|--------|--------|
| N | 16 | 18 | 16 | 18 | 21 | 16 | 18 |
| H | 7 | 8 | 7 | 8 | 9 | 7 | 8 |
| L | PRIS PR. 100 STK. | | | | | | |
| | UBEH | | FZB | | | FZV | |
| 14 | | | 245:- | | | | |
| 16 | 630:- | | 190:- | 319:- | | 304:- | |
| 20 | 308:- | 473:- | 173:- | 290:- | 1400:- | 269:- | 459:- |
| 22 | | | 274:- | 620:- | | | |
| 25 | 287:- | 428:- | 185:- | 295:- | 646:- | 274:- | 399:- |
| 30 | 318:- | 440:- | 212:- | 299:- | 676:- | 309:- | 414:- |
| 35 | 372:- | 483:- | 229:- | 322:- | 610:- | 324:- | 444:- |
| 40 | 378:- | 500:- | 257:- | 369:- | 610:- | 369:- | 484:- |
| 45 | 480:- | 713:- | 308:- | 440:- | 756:- | 484:- | 539:- |
| 50 | 488:- | 725:- | 315:- | 442:- | 756:- | 490:- | 595:- |
| 55 | 599:- | 741:- | 410:- | 575:- | 880:- | 595:- | 805:- |
| 60 | 615:- | 750:- | 417:- | 579:- | 890:- | 545:- | 810:- |
| 65 | 662:- | 773:- | 430:- | 590:- | 1150:- | 635:- | 825:- |
| 70 | 671:- | 775:- | 448:- | 595:- | 1150:- | 640:- | 840:- |
| 75 | 741:- | 1025:- | 493:- | 650:- | 1400:- | 705:- | 890:- |
| 80 | 780:- | 1020:- | 493:- | 690:- | 1600:- | 710:- | 895:- |
| 90 | 843:- | 1155:- | 589:- | 750:- | 1750:- | 745:- | 1045:- |
| 100 | 945:- | 1275:- | 595:- | 790:- | 1800:- | 835:- | 1135:- |
| 110 | | 1470:- | 683:- | 990:- | 2200:- | 1345:- | 1245:- |
| 120 | 2310:- | 2010:- | 695:- | 1080:- | 2300:- | 1385:- | 1295:- |
| 130 | 2500:- | | 861:- | 1200:- | 2500:- | 2190:- | 1725:- |
| 140 | | | 1090:- | 1280:- | 3600:- | 2280:- | 2795:- |
| 150 | | | 1200:- | 1370:- | 3900:- | 2290:- | 2845:- |
| 160 | | | 1950:- | 1900:- | 4600:- | 2345:- | 2945:- |
| 170 | | | 2300:- | 3800:- | | | |
| 180 | | | 2800:- | 3600:- | 6500:- | 2350:- | 3045:- |
| 200 | | | 3200:- | 4500:- | 9900:- | 2645:- | 3390:- |
| 220 | | | | 5600:- | | | 3945:- |
| 240 | | | | | | | 4190:- |

BEST.EX: ISO 4017 8.8 M10 x 16 UBEHANDLET
DATA.EX: 4017810016

PAKKEPROGRAM

| STK. | M10 | M12 | M14 |
|------|--------|--------|--------|
| 200 | 14-35 | | |
| 100 | 40-80 | 16-50 | |
| 50 | 90-200 | 55-80 | 20-65 |
| 25 | | 90-240 | 70-200 |

STÅLSÆTSKRUE
NØGLEVIDDE SOM ISO 272
ISO 4017
8.8 UBEHANDLET, FZB, FZV



| d | M10 | M12 | M10 | M12 | M10 | M12 |
|-----|--|-------|------------|--------|------------|--------|
| N | 16 | 18 | 16 | 18 | 16 | 18 |
| H | 7 | 8 | 7 | 8 | 7 | 8 |
| L | PRIS PR. 100 STK. | | | | | |
| | UBEH | | FZB | | FZV | |
| 40 | | | | | | |
| 45 | | | 350:- | | 550:- | |
| 50 | 370:- | 485:- | 371:- | 490:- | 560:- | 745:- |
| 55 | | | 470:- | 595:- | | |
| 60 | 535:- | 590:- | 540:- | 600:- | 620:- | 890:- |
| 65 | | | 550:- | 940:- | | |
| 70 | | | 560:- | 940:- | 690:- | 1000:- |
| 75 | | | | 958:- | | |
| 80 | | | 640:- | 958:- | 990:- | 1270:- |
| 90 | | | 1660:- | 2640:- | | |
| 100 | | | 2000:- | 2940:- | | |
| | BEST.EX: ISO 4017 8.8 M10 x 50 UBEHANDLET DATA.EX: 4017810050 | | | | | |

PAKKEPROGRAM

| STK. | M10 | M12 |
|------|--------|--------|
| 100 | 45-80 | 50 |
| 50 | 90-100 | 55-80 |
| 25 | | 90-100 |




STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 FZV

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M6 | M8 | M10 | M12 | M14 | M16 | M18 | M20 | M22 | M24 |
|-----|--------------------------|--------|--------|---------|-------|---------|---------|---------|---------|---------|
| N | 10 | 13 | 17 | 19 | 22 | 24 | 27 | 30 | 32 | 36 |
| H | 4 | 5,5 | 7 | 8 | 9 | 10 | 12 | 13 | 14 | 15 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 10 | 292:- | | | | | | | | | |
| 12 | 295:- | 250:- | | | | | | | | |
| 14 | | 285:- | | | | | | | | |
| 16 | 240:- | 174:- | 304:- | | | | | | | |
| 20 | 310:- | 189:- | 269:- | 459:- | | 1990:- | | | | |
| 22 | | 214:- | | | | | | | | |
| 25 | 320:- | 214:- | 274:- | 399:- | | 950:- | | | | |
| 30 | 325:- | 248:- | 309:- | 414:- | | 920:- | | 3328:- | | |
| 35 | 330:- | 340:- | 324:- | 444:- | 915:- | 920:- | | 2475:- | | 9950:- |
| 40 | 335:- | 345:- | 369:- | 484:- | 915:- | 930:- | 4500:- | 1900:- | | 4650:- |
| 45 | 405:- | 410:- | 445:- | 539:- | | 1050:- | 4800:- | 2150:- | | 6900:- |
| 50 | 405:- | 414:- | 449:- | 595:- | | 1050:- | 4950:- | 2150:- | 8325:- | 3700:- |
| 55 | 510:- | 419:- | 540:- | 805:- | | 1250:- | 7125:- | 2200:- | 9000:- | 4700:- |
| 60 | 550:- | 460:- | 545:- | 810:- | | 1300:- | 7200:- | 2200:- | 9000:- | 4200:- |
| 65 | | 530:- | 600:- | 825:- | | 1420:- | | 2300:- | 11775:- | 4900:- |
| 70 | 710:- | 535:- | 605:- | 840:- | | 1510:- | 7300:- | 2400:- | 12000:- | 5280:- |
| 75 | | 540:- | 690:- | 890:- | | 1620:- | 7400:- | 2500:- | 12500:- | 6400:- |
| 80 | | 545:- | 695:- | 895:- | | 1650:- | 7500:- | 2750:- | 12700:- | 6600:- |
| 90 | | 585:- | 745:- | 1045:- | | 1750:- | 7600:- | 2900:- | 13000:- | 6600:- |
| 100 | | 625:- | 835:- | 1135:- | | 1930:- | 7725:- | 3300:- | 14000:- | 6710:- |
| 110 | | 1145:- | 1345:- | 1245:- | | 2400:- | 8325:- | 3550:- | 14500:- | 8360:- |
| 120 | | 1285:- | 1385:- | 1295:- | | 2800:- | 11775:- | 3900:- | 14850:- | 8470:- |
| 130 | | 1720:- | 2190:- | 1725:- | | 3050:- | 13050:- | 5400:- | 20700:- | 8910:- |
| 140 | | 1790:- | 2280:- | 2795:- | | 3350:- | 14250:- | 5900:- | 22350:- | 9020:- |
| 150 | | | 2290:- | 2845:- | | 3650:- | 14925:- | 6400:- | 22500:- | 9350:- |
| 160 | | | 2345:- | 2945:- | | 4300:- | | 7150:- | 26700:- | 10120:- |
| 180 | | | 3080:- | 3960:- | | 5200:- | | 9150:- | 32550:- | 11300:- |
| 200 | | | 3520:- | 4950:- | | 6400:- | | 11880:- | | 15200:- |
| 220 | | | | 6160:- | | 9050:- | | 15400:- | | 16700:- |
| 240 | | | | 15197:- | | 18000:- | | 19800:- | | 52008:- |
| 260 | | | | 17900:- | | 20000:- | | 40524:- | | 53774:- |
| 280 | | | | | | 28000:- | | 45788:- | | |
| 300 | | | | 23200:- | | 30500:- | | 52157:- | | 68871:- |
| 320 | | | | | | 35000:- | | 55325:- | | 82434:- |
| 340 | | | | | | | | 59136:- | | 83908:- |
| 360 | | | | | | 46000:- | | 75218:- | | 87516:- |
| 380 | | | | | | | | 80674:- | | 92972:- |
| 400 | | | | | | 64000:- | | 84458:- | | 99990:- |

ISO 4017/4014
 SE SIDE 2:12

BEST.EX: DIN 933 8.8 M6 x 10 FZV
DATA.EX: 9338060102

PAKKEPROGRAM


| STK. | M6 | M8 | M10 | M12 | M14 | M16 | M18 | M20 | M22 | M24 |
|------|-------|--------|--------|--------|-------|---------|--------|---------|---------|---------|
| 200 | 10-70 | 12-65 | 16-35 | | | | | | | |
| 100 | | 70-140 | 40-80 | 20-50 | | | | | | |
| 50 | | | 90-200 | 55-80 | 35-40 | 20-35 | 40-50 | 30-150 | 50-90 | 35-80 |
| 25 | | | | 90-300 | | 40-220 | 55-150 | 30-150 | 50-90 | 35-80 |
| 10 | | | | | | 240-400 | | 160-200 | 100-180 | 90-200 |
| LØSE | | | | | | | | 220-400 | | 220-400 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

8.8 FZV

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$




| d | M27 | M30 | M33 | M36 |
|---|--------------------------|----------|---------|----------|
| N | 41 | 46 | 50 | 55 |
| H | 17 | 19 | 21 | 23 |
| L | PRIS PR. 100 STK. | | | |
| 50 | 19000:- | | | |
| 60 | 19305:- | 23100:- | | |
| 65 | | 25080:- | | |
| 70 | 19500:- | 25080:- | | 38775:- |
| 75 | | | | 39600:- |
| 80 | 19600:- | 26895:- | 34485:- | 41800:- |
| 90 | 19635:- | 28215:- | | 42900:- |
| 100 | 21120:- | 31185:- | 38610:- | 46695:- |
| 110 | 23100:- | 33165:- | 40920:- | 49335:- |
| 120 | 24585:- | 34815:- | 42900:- | 51975:- |
| 130 | 25410:- | 36630:- | 45045:- | 55770:- |
| 140 | 26235:- | 38610:- | 47355:- | 57915:- |
| 150 | 27225:- | 39600:- | 49005:- | 60060:- |
| 160 | 28050:- | 41910:- | 57915:- | 66495:- |
| 180 | 29700:- | 45045:- | 60060:- | 71775:- |
| 200 | 34815:- | 47685:- | 62205:- | 72050:- |
| 220 | 44550:- | 51810:- | | 72600:- |
| 240 | | 73755:- | | 105155:- |
| 260 | | 81362:- | | |
| 280 | | 82121:- | | |
| 300 | | 85932:- | | |
| 320 | | 113080:- | | |
| 340 | | 115632:- | | |
| 360 | | 123640:- | | |
| 380 | | 131824:- | | |
| <p>BEST.EX: DIN 933 8.8 M27 x 50 FZV DATA.EX: 9338270502</p> | | | | |

PAKKEPROGRAM

| STK. | M27 | M30 | M33 | M36 |
|-------------------------|-----|-----|-----|-----|
| LØSE I ALLE DIMENSIONER | | | | |

STÅLSÆTSKRUE

DIN 933
8.8 FZV



| d | M8 | M10 | M12 | M16 | M20 | M24 | M30 | M33 | M36 |
|---|-------|--------|--------|--------|---------|--------|---------|---------|---------|
| N | 13 | 17 | 19 | 24 | 30 | 36 | 46 | 50 | 55 |
| H | 5,5 | 7 | 8 | 10 | 13 | 15 | 19 | 21 | 23 |
| PRIS PR. 100 STK. | | | | | | | | | |
| 35 | 315:- | | | | | | | | |
| 40 | 340:- | 369:- | | | | | | | |
| 45 | 410:- | 550:- | 539:- | | | | | | |
| 50 | 435:- | 560:- | 745:- | | | | | | |
| 55 | | | 870:- | 1250:- | | | | | |
| 60 | 515:- | 620:- | 890:- | 1300:- | | | | | |
| 70 | 750:- | 700:- | 1000:- | 2900:- | 2500:- | | | | |
| 75 | | | | | 2550:- | 8382:- | | | |
| 80 | 885:- | 990:- | 1270:- | 3400:- | 4500:- | 8400:- | | | |
| 90 | | | | 4900:- | 6900:- | | 34436:- | | |
| 100 | | | | | 9200:- | | 35723:- | 47058:- | |
| 110 | | 1900:- | | | | | | | |
| 120 | | | | | 12000:- | | | 51695:- | 61446:- |
| 130 | | | | | | | | | 65703:- |
| BEST.EX: DIN 933 8.8 M8 x 35 FZV DATA.EX: 9338080352 | | | | | | | | | |

PAKKEPROGRAM

| STK. | M8 | M10 | M12 | M16 | M20 | M24 | M30 | M33 | M36 |
|------|-------|-------|-------|-------|--------|-------|--------|---------|---------|
| 200 | 35-60 | | | | | | | | |
| 100 | 70-80 | 40-80 | 45-50 | | | | | | |
| 50 | | 110 | 55-80 | | | | | | |
| 25 | | | | 55-90 | 70-120 | 75-80 | | | |
| LØSE | | | | | | | 90-100 | 100-120 | 120-130 |


BUFAB Deutschland GmbH

Din nøgle til hundredevis af tyske leverandører!

STÅLBOLT/STÅLSÆTSKRUE FINGEVIND

DIN 960/961
8.8 UBEHANDLET

Gevindlængde
≥ 2 x d + 6 mm
for L ≤ 125 mm



| d | M8x1 | 10x1 | 10x1,25 | 12x1,25 | 12x1,5 | 14x1,5 | 16x1,5 | 18x1,5 | 20x1,5 | 22x1,5 | 24x2 |
|-----|--------------------------|--------|---------|---------|--------|--------|---------|---------|---------|---------|---------|
| N | 13 | 17 | 17 | 19 | 19 | 22 | 24 | 27 | 30 | 32 | 36 |
| H | 5,5 | 7 | 7 | 8 | 8 | 9 | 10 | 12 | 13 | 14 | 15 |
| L | PRIS PR. 100 STK. | | | | | | | | | | |
| 16 | 744:- | | | | | | | | | | |
| 18 | 744:- | | | | | | | | | | |
| 20 | 401:- | 698:- | 698:- | 1145:- | 1145:- | 2115:- | 2900:- | | | | |
| 22 | 744:- | | | | | | | | | | |
| 25 | 461:- | 744:- | 744:- | 1145:- | 1145:- | 2115:- | 2535:- | | | | |
| 30 | 498:- | 791:- | 791:- | 1182:- | 1182:- | 2115:- | 2535:- | 6180:- | | | |
| 35 | 600:- | 884:- | 884:- | 1228:- | 1228:- | 2385:- | 2640:- | | | 6375:- | |
| 40 | 680:- | 1080:- | 1080:- | 1349:- | 1349:- | 2475:- | 2745:- | 6375:- | 6375:- | | |
| 45 | | 1150:- | 1126:- | 1680:- | 1680:- | 2595:- | 2940:- | 6510:- | 6510:- | | |
| 50 | 900:- | 1200:- | 1200:- | 1725:- | 1725:- | 2955:- | 3015:- | 6615:- | 6615:- | 13500:- | 14250:- |
| 55 | | | 1284:- | | | 3135:- | 3315:- | | 7095:- | | 16000:- |
| 60 | | 1312:- | 1312:- | 1905:- | 1905:- | 3135:- | 3570:- | 8100:- | 7095:- | 14400:- | 20250:- |
| 65 | | | | | 2085:- | 3435:- | 4125:- | | 8100:- | | |
| 70 | | | 1433:- | 2085:- | 2085:- | 3435:- | 4125:- | 8205:- | 8205:- | | 22500:- |
| 75 | | | | | | 3945:- | 4290:- | | 8430:- | | |
| 80 | | | 1605:- | 2310:- | 2310:- | 3945:- | 4290:- | 8430:- | 8430:- | | 23000:- |
| 90 | | | 1890:- | 2670:- | 2670:- | 4455:- | 4755:- | 9165:- | 9165:- | | |
| 100 | | | 2160:- | 2925:- | | 5010:- | 5145:- | 9945:- | 9945:- | | 23500:- |
| 110 | | | | | | 5805:- | 6975:- | | 11385:- | | |
| 120 | | | 3300:- | 4260:- | 4260:- | 6705:- | 7710:- | 11500:- | 12510:- | | 24000:- |
| 130 | | | 4125:- | | | | 8205:- | | 14000:- | | 24500:- |
| 140 | | | | | 5550:- | 8325:- | 8940:- | | | | |
| 150 | | | | | | | 10110:- | | 15300:- | | 25770:- |
| 160 | | | | | | | | | 30000:- | | |

Anm.: Også lager i elforzinket af flere dimensioner

BEST.EX: DIN 961 8.8 M8 x 1 x 20 UBEHANDLET
DATA.EX: 9618081020

PAKKEPROGRAM


| STK. | M8x1 | 10x1 | 10x1,25 | 12x1,25 | 12x1,5 | 14x1,5 | 16x1,5 | 18x1,5 | 20x1,5 | 22x1,5 | 24x2 |
|------|-------|-------|---------|---------|--------|--------|--------|--------|--------|--------|---------|
| 200 | 20-35 | 16-35 | 20-35 | | | | | | | | |
| 100 | 40-50 | 40-60 | 40-80 | 20-50 | 20-50 | | | | | | |
| 50 | | | 90-130 | 60-80 | 60-80 | 20-65 | 20-35 | 30-50 | | | |
| 25 | | | | 90-120 | 90-140 | 70-140 | 40-150 | 60-120 | 35-160 | 50-60 | 50-80 |
| 10 | | | | | | | | | | | 100-150 |

STÅLBOLT/STÅLSÆTSKRUE FINGEVIND

DIN 960/961

10.9 UBEHANDLET

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M8x1 | 10x1 | 10x1,25 | 12x1,25 | 12x1,5 | 14x1,5 | 16x1,5 | 18x1,5 | 20x1,5 |
|-----|--------------------------|--------|---------|---------|--------|--------|---------|---------|---------|
| N | 13 | 17 | 17 | 19 | 19 | 22 | 24 | 27 | 30 |
| H | 5,5 | 7 | 7 | 8 | 8 | 9 | 10 | 12 | 13 |
| L | PRIS PR. 100 STK. | | | | | | | | |
| 18 | | | | | | | | | |
| 20 | 1100:- | 922:- | | 1725:- | 1725:- | | | | |
| 22 | | | | | | | | | |
| 25 | 1197:- | 981:- | | 1590:- | 1590:- | 3165:- | | | |
| 30 | 1200:- | 1036:- | 2265:- | 1680:- | 1680:- | 3030:- | 3465:- | 9705:- | |
| 35 | | 1115:- | 2370:- | 1770:- | 1770:- | 3120:- | 3465:- | 9855:- | |
| 40 | 1250:- | 1174:- | 2520:- | 1860:- | 1860:- | 3270:- | 3765:- | 9960:- | 8415:- |
| 45 | | 1500:- | 2550:- | | 1995:- | 3405:- | 3825:- | | 9030:- |
| 50 | | 1530:- | 2600:- | | 2235:- | 3390:- | 4245:- | 10905:- | 9195:- |
| 55 | | 1575:- | | | 2235:- | 3390:- | 4455:- | | 9625:- |
| 60 | | 1650:- | 2650:- | | 2355:- | 3510:- | 4710:- | 11865:- | 10035:- |
| 65 | | | | | 2430:- | 4080:- | 5175:- | 10515:- | 10860:- |
| 70 | | 2565:- | 2700:- | | 2685:- | 4080:- | 5415:- | 10515:- | 10860:- |
| 75 | | | | | 2970:- | 4455:- | 5910:- | | 11610:- |
| 80 | | | | | 2970:- | 4455:- | 5910:- | 10515:- | 11775:- |
| 85 | | | | | | | | | 13110:- |
| 90 | | | | | 4335:- | 5985:- | 6105:- | | 13110:- |
| 100 | | | | | 4785:- | 6285:- | 6510:- | 12675:- | 13695:- |
| 110 | | | | | | 6990:- | 7995:- | | 14280:- |
| 120 | | | | | 5985:- | 7590:- | | 14835:- | 14790:- |
| 130 | | | | | | | | | 17385:- |
| 140 | | | | | | 8655:- | 9705:- | 16995:- | 19260:- |
| 150 | | | | | | | 10215:- | 19755:- | |
| 160 | | | | | | 9600:- | 11310:- | | 34575:- |
| 180 | | | | | | | | | 38205:- |
| 200 | | | | | | | | | 48345:- |

BEST.EX: DIN 961 10.9 M8 x 1 x 20 UBEHANDLET
DATA.EX: 96110081020

PAKKEPROGRAM


| STK. | M8x1 | 10x1 | 10x1,25 | 12x1,25 | 12x1,5 | 14x1,5 | 16x1,5 | 18x1,5 | 20x1,5 |
|------|-------|-------|---------|---------|--------|--------|--------|--------|---------|
| 200 | 20-40 | 20-35 | 30-35 | | | | | | |
| 100 | | 40-70 | 40-70 | 20-40 | 20-50 | | | | |
| 50 | | | | | 55-80 | 25-65 | 30-35 | 30-50 | |
| 25 | | | | | 90-120 | 70-160 | 40-160 | 60-150 | 40-140 |
| 10 | | | | | | | | | 160-200 |

STÅLBOLT

NØGLEVIDDE SOM ISO 272

ISO 4017/4014

10.9 UBEHANDLET




| d | M10 | M12 | M14 |
|---|---------|---------|---------|
| N | 16 | 18 | 21 |
| H | 7 | 8 | 9 |
| PRIS PR. 100 STK. | | | |
| 20 | 401:-- | 749:-- | |
| 25 | 427:-- | 691:-- | |
| 30 | 451:-- | 730:-- | |
| 35 | 485:-- | 768:-- | |
| 40 | 575:-- | 807:-- | 1430:-- |
| 45 | 614:-- | 867:-- | |
| 50 | 665:-- | 970:-- | 1480:-- |
| 55 | 683:-- | 970:-- | |
| 60 | 717:-- | 1030:-- | 1530:-- |
| 65 | 725:-- | 1060:-- | |
| 70 | 794:-- | 1170:-- | |
| 80 | 880:-- | 1300:-- | |
| 90 | 1060:-- | 1480:-- | |
| 100 | 1210:-- | 1630:-- | |
| 110 | | 1930:-- | |
| 120 | | 2150:-- | |
| 130 | | 2560:-- | |
| 140 | | 2920:-- | |
| 150 | | 3240:-- | |
| 180 | | 7240:-- | |
| BEST.EX: ISO 4017 10.9 M10 x 20 UBEHANDLET | | | |
| DATA.EX: 40171010020 | | | |

STÅLSÆTSKRUE

DIN 933

10.9 UBEHANDLET



| d | M8 | M10 | M12 | M16 | M20 | M24 |
|---|--------------------------|---------|---------|----------|----------|----------|
| N | 13 | 17 | 19 | 24 | 30 | 36 |
| H | 5,5 | 7 | 8 | 10 | 13 | 15 |
| L | PRIS PR. 100 STK. | | | | | |
| 35 | 503:-- | | | | | |
| 40 | 541:-- | 767:-- | | | | |
| 45 | 803:-- | 917:-- | 1365:-- | | | |
| 50 | 870:-- | 1030:-- | 1425:-- | | | |
| 55 | 1134:-- | 1695:-- | 1995:-- | 3000:-- | | |
| 60 | 1134:-- | 1695:-- | 2145:-- | 3000:-- | | |
| 65 | 2835:-- | | 3465:-- | 3345:-- | 12480:-- | |
| 70 | 2835:-- | 3960:-- | 4410:-- | 3345:-- | 12765:-- | |
| 75 | 3465:-- | 4575:-- | 6030:-- | 5040:-- | 13050:-- | |
| 80 | 3465:-- | 4575:-- | 6030:-- | 3615:-- | 13125:-- | 17070:-- |
| 90 | 4545:-- | 6840:-- | 7920:-- | 6480:-- | 13185:-- | 17205:-- |
| 100 | | 8460:-- | 9450:-- | 9090:-- | 13830:-- | 17985:-- |
| 110 | | | | 10530:-- | 21600:-- | 20100:-- |
| 120 | | | | 11790:-- | 21780:-- | 21510:-- |
| 130 | | | | 16650:-- | 25020:-- | 28800:-- |
| 140 | | | | 28000:-- | 26640:-- | 30675:-- |
| 150 | | | | | 28620:-- | 32400:-- |
| BEST.EX: DIN 933 10.9 M8 x 35 UBEHANDLET | | | | | | |
| DATA.EX: 9331008035 | | | | | | |

PAKKEPROGRAM


| STK. | M8 | M10 | M12 | M14 | M16 | M20 | M24 |
|------|-------|--------|--------|-------|--------|--------|--------|
| 200 | 35-65 | 20-35 | | | | | |
| 100 | 70-90 | 40-80 | 20-50 | | | | |
| 50 | | 90-100 | 55-80 | 40-60 | | | |
| 25 | | | 90-180 | | 55-140 | 65-150 | 80 |
| 10 | | | | | | | 90-150 |

STÅLBOLT/STÅLSÆTSKRUE

DIN 931/933

10.9 UBEHANDLET

Gevindlængde
 $\geq 2 \times d + 6 \text{ mm}$
 for $L \leq 125 \text{ mm}$



| d | M6 | M8 | M10 | M12 | M14 | M16 | M20 | M24 | M27 | M30 | M36 |
|---|-------------------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|
| N | 10 | 13 | 17 | 19 | 22 | 24 | 30 | 36 | 41 | 46 | 55 |
| H | 4 | 5,5 | 7 | 8 | 9 | 10 | 13 | 15 | 17 | 19 | 23 |
| L | PRIS PR. 100 STK. | | | | | | | | | | |
| 10 | 308:- | 990:- | | | | | | | | | |
| 12 | 239:- | 315:- | | | | | | | | | |
| 14 | | 990:- | | | | | | | | | |
| 16 | 212:- | 225:- | 459:- | 999:- | | | | | | | |
| 18 | 290:- | 453:- | | | | | | | | | |
| 20 | 222:- | 243:- | 401:- | 749:- | | | | | | | |
| 22 | | 268:- | 495:- | | | | | | | | |
| 25 | 229:- | 284:- | 427:- | 691:- | 1380:- | 1510:- | | | | | |
| 30 | 240:- | 285:- | 451:- | 730:- | 1320:- | 1510:- | | | | | |
| 35 | 245:- | 371:- | 485:- | 768:- | 1360:- | 1510:- | | | | | |
| 40 | 250:- | 401:- | 575:- | 807:- | 1430:- | 1640:- | 3670:- | 10500:- | | 15660:- | |
| 45 | 271:- | 451:- | 614:- | 867:- | 1480:- | 1670:- | 3930:- | | | 15660:- | |
| 50 | 301:- | 459:- | 665:- | 970:- | 1480:- | 1850:- | 4010:- | 10630:- | 14340:- | 15660:- | 27870:- |
| 55 | 333:- | 459:- | 683:- | 970:- | 1480:- | 1940:- | 4150:- | 10630:- | 14340:- | 15660:- | |
| 60 | 358:- | 481:- | 717:- | 1030:- | 1530:- | 2050:- | 4370:- | 10630:- | 14340:- | 16450:- | 27970:- |
| 65 | 434:- | 541:- | 725:- | 1060:- | 1780:- | 2260:- | 4630:- | 10770:- | 14530:- | 16880:- | |
| 70 | 434:- | 584:- | 794:- | 1170:- | 1780:- | 2360:- | 4730:- | 11050:- | 14900:- | 17160:- | 28490:- |
| 75 | | 730:- | 871:- | 1300:- | 1940:- | 2560:- | 5060:- | 11240:- | 15190:- | 17440:- | |
| 80 | 960:- | 730:- | 880:- | 1300:- | 1940:- | 2580:- | 5140:- | 11660:- | 15370:- | 17720:- | 29760:- |
| 90 | 1640:- | 811:- | 1060:- | 1480:- | 2190:- | 2660:- | 5720:- | 13310:- | 16830:- | 20120:- | 30840:- |
| 100 | 1760:- | 933:- | 1210:- | 1630:- | 2300:- | 2840:- | 5970:- | 14150:- | 17680:- | 20590:- | 32250:- |
| 110 | | 1140:- | 1500:- | 1930:- | 2710:- | 3440:- | 6230:- | 15230:- | 18430:- | 21110:- | 31310:- |
| 120 | | 1260:- | 1670:- | 2150:- | 3080:- | 3440:- | 6440:- | 15560:- | 19130:- | 22710:- | 33420:- |
| 130 | | 2020:- | 2190:- | 2560:- | 3820:- | 3890:- | 7570:- | 16270:- | 19980:- | 23930:- | 35300:- |
| 140 | | 2410:- | 2360:- | 2920:- | 4100:- | 4140:- | 8370:- | 16970:- | 21010:- | 25340:- | 37460:- |
| 150 | | | 2680:- | 3240:- | 4450:- | 7390:- | 9210:- | 17680:- | 21950:- | 26280:- | 39340:- |
| 160 | | | 6440:- | 6440:- | 8560:- | 8560:- | 13120:- | 18430:- | 23220:- | 27310:- | 41270:- |
| 170 | | | | | | | 9360:- | 13450:- | 18900:- | | |
| 180 | | | 7240:- | 7240:- | 9780:- | 9780:- | 14150:- | 19460:- | 25570:- | 30080:- | 45310:- |
| 190 | | | | | | | 14860:- | 19980:- | | | |
| 200 | | | | 7670:- | | 10340:- | 15230:- | 20540:- | 27970:- | 32480:- | 49260:- |
| 210 | | | | | | | 18480:- | 24260:- | | | |
| 220 | | | | 8230:- | | 11100:- | 15840:- | 21810:- | 30080:- | 33610:- | |
| 230 | | | | | | | | 25850:- | | 40710:- | |
| 240 | | | | 8840:- | | 11850:- | 16920:- | 22990:- | 32720:- | 36950:- | |
| 250 | | | | | | 15090:- | 21620:- | | | | |
| 260 | | | | | | | 18290:- | 24160:- | 35020:- | 39580:- | 59270:- |
| 270 | | | | | | 16950:- | | | 46680:- | | |
| 280 | | | | | | 17000:- | 23030:- | 25570:- | 37460:- | 42400:- | |
| 300 | | | | | | | 23500:- | 27260:- | 40050:- | 45030:- | |
| 320 | | | | | | | 23740:- | 31870:- | 44610:- | | |
| 330 | | | | | | | | 40710:- | | | |
| 340 | | | | | | | | 35400:- | | | |
| 350 | | | | | | | 36710:- | | | 70030:- | |
| BEST.EX: DIN 933 10.9 M6 x 10 UBEHANDLET DATA.EX: 9331006010 | | | | | | | | | | | |


PAKKEPROGRAM

| STK. | M6 | M8 | M10 | M12 | M14 | M16 | M20 | M24 | M27 | M30 | M36 |
|------|--------|--------|--------|--------|--------|--------|---------|---------|--------|--------|--------|
| 200 | 10-100 | 10-65 | 16-35 | | | | | | | | |
| 100 | | 70-140 | 40-80 | 16-50 | | | | | | | |
| 50 | | | 90-180 | 55-80 | 25-65 | 25-35 | | | | | |
| 25 | | | | 90-240 | 70-180 | 40-280 | 40-150 | 40-80 | | | |
| 10 | | | | | | | 160-200 | 90-200 | | | |
| LØSE | | | | | | | 210-350 | 210-340 | 50-320 | 40-350 | 50-260 |

SÆTSKRUE

DIN 558

4.6 UBEHANDLET



| d | M5 | M6 | M8 | M10 | M12 | M16 | M20 |
|-----|--------------------------|--------|--------|--------|--------|--------|--------|
| N | 8 | 10 | 13 | 17 | 19 | 24 | 30 |
| H | 3,5 | 4 | 5,5 | 7 | 8 | 10 | 13 |
| L | PRIS PR. 100 STK. | | | | | | |
| 10 | 150:- | 73:- | 420:- | | | | |
| 12 | 150:- | 63:- | 147:- | 630:- | | | |
| 14 | | 95:- | | | | | |
| 16 | 150:- | 68:- | 103:- | 434:- | 552:- | | |
| 20 | 150:- | 75:- | 109:- | 189:- | 276:- | 1080:- | |
| 22 | | 104:- | 110:- | | | | |
| 25 | 150:- | 109:- | 114:- | 193:- | 276:- | 1080:- | |
| 30 | 196:- | 122:- | 122:- | 201:- | 292:- | 580:- | 3100:- |
| 35 | 221:- | 178:- | 138:- | 216:- | 309:- | 604:- | 3100:- |
| 40 | 250:- | 200:- | 146:- | 252:- | 331:- | 614:- | 1330:- |
| 45 | 359:- | 334:- | 245:- | 281:- | 396:- | 641:- | 1340:- |
| 50 | 359:- | 359:- | 285:- | 298:- | 418:- | 981:- | 1410:- |
| 55 | | 704:- | 522:- | 533:- | 675:- | 1290:- | 2040:- |
| 60 | 968:- | 646:- | 522:- | 533:- | 675:- | 1290:- | 2040:- |
| 65 | | | | | | 1880:- | 3480:- |
| 70 | | 892:- | 995:- | 937:- | 1020:- | 1880:- | 3480:- |
| 75 | | | | | | 2310:- | 6710:- |
| 80 | | 1560:- | 1270:- | 1660:- | 1760:- | 2310:- | 5490:- |
| 90 | | | 1750:- | 2080:- | 2220:- | 4240:- | 7340:- |
| 100 | | | 1910:- | 2520:- | 2720:- | 4570:- | 8840:- |

BEST.EX: DIN 558 4.6 M5 x 10 UBEHANDLET
DATA.EX: 558405010


Lager også i elforzinket udførelse

PAKKEPROGRAM

| STK. | M5 | M6 | M8 | M10 | M12 | M16 | M20 |
|------|-------|-------|--------|--------|--------|--------|--------|
| 500 | 10-30 | 10-30 | | | | | |
| 200 | 35-60 | 35-80 | 10-80 | 12-35 | | | |
| 100 | | | 90-100 | 40-100 | 16-60 | | |
| 50 | | | | | 65-100 | 20-60 | |
| 25 | | | | | | 65-100 | 30-100 |

MASKINBOLT

DIN 601
4.6 FZB



| d | M6 | M8 | M10 | M12 | M16 | M20 | M24 |
|-----|---|--------|--------|---------|---------|---------|---------|
| N | 10 | 13 | 17 | 19 | 24 | 30 | 36 |
| H | 4 | 5,5 | 7 | 8 | 10 | 13 | 15 |
| L | PRIS PR. 100 STK. | | | | | | |
| 30 | 140:- | | | | | | |
| 35 | 211:- | 263:- | | | | | |
| 40 | 223:- | 274:- | 468:- | | | | |
| 45 | 310:- | 297:- | 496:- | 705:- | | | |
| 50 | 314:- | 317:- | 518:- | 737:- | | | |
| 55 | 400:- | 456:- | 590:- | 798:- | 1430:- | | |
| 60 | 404:- | 462:- | 600:- | 837:- | 1490:- | | |
| 65 | 545:- | 676:- | 672:- | 908:- | 1550:- | 2720:- | |
| 70 | 505:- | 678:- | 682:- | 922:- | 1630:- | 2760:- | |
| 75 | | | 995:- | 1370:- | 1740:- | 2880:- | |
| 80 | 555:- | 878:- | 964:- | 1330:- | 1810:- | 2980:- | 4700:- |
| 90 | 728:- | 1060:- | 1380:- | 1770:- | 1990:- | 3180:- | 5070:- |
| 100 | | 1140:- | 1480:- | 1950:- | 2110:- | 3480:- | 5390:- |
| 110 | | 1240:- | 1670:- | 2490:- | 2240:- | 3690:- | 5820:- |
| 120 | | 1250:- | 2250:- | 2620:- | 2610:- | 3920:- | 6080:- |
| 130 | | 1630:- | 2620:- | 3620:- | 2720:- | 4350:- | 6600:- |
| 140 | | 1750:- | 2640:- | 3960:- | 2890:- | 4560:- | 7120:- |
| 150 | | | 2790:- | 3930:- | 3900:- | 6530:- | 9450:- |
| 160 | | | 3370:- | 3930:- | 7150:- | 11490:- | 17660:- |
| 170 | | | 3770:- | | | | |
| 180 | | | 3790:- | 4550:- | 7610:- | 12420:- | 18330:- |
| 190 | | | | | 7720:- | | |
| 200 | | | 4160:- | 5020:- | 7790:- | 12610:- | 18580:- |
| 220 | | | 5050:- | 5540:- | 9000:- | 13030:- | 19090:- |
| 240 | | | 5400:- | 6040:- | 9580:- | 13390:- | 20650:- |
| 250 | | | | | 10160:- | | |
| 260 | | | 5890:- | 6330:- | 10160:- | 14200:- | 22050:- |
| 280 | | | 6990:- | 10840:- | 10840:- | 15010:- | 23530:- |
| 300 | | | 7040:- | 7260:- | 11300:- | 15470:- | 25050:- |
| 320 | | | | 7600:- | 12030:- | 16040:- | 27340:- |
| 340 | | | | 7830:- | 12630:- | 16610:- | 28810:- |
| 360 | | | | 8170:- | 13330:- | 17510:- | 30320:- |
| 380 | | | | 8550:- | 13630:- | 18300:- | 31920:- |
| 400 | | | | 9010:- | 13980:- | 19400:- | 33460:- |
| 420 | | | | 9560:- | 14350:- | 21420:- | 35260:- |
| 440 | | | | 10190:- | 14700:- | 22450:- | 36750:- |
| 460 | | | | 10620:- | 15180:- | 23270:- | 38240:- |
| 480 | | | | 11050:- | 15820:- | 24310:- | 39740:- |
| 500 | | | | 11440:- | 16540:- | 25150:- | 41290:- |
| 560 | | | | | | 27130:- | 41600:- |
| 600 | | | | | | 29020:- | 44440:- |
| | BEST.EX: DIN 601 4.6 M6 x 30 FZB DATA.EX: 6014060301 | | | | | | |


PAKKEPROGRAM

| STK. | M6 | M8 | M10 | M12 | M16 | M20 | M24 |
|------|-------|--------|---------|---------|---------|---------|--------|
| 200 | 30-90 | 35-65 | | | | | |
| 100 | | 70-140 | 40-100 | 45-60 | | | |
| 50 | | | 110-200 | 65-200 | | | |
| 25 | | | 220-300 | 220-500 | 55-300 | 65-140 | 80 |
| 10 | | | | | 320-600 | 150-600 | 90-500 |

SÆTSKRUE MED LIGE KÆRV

DIN 933-Sz

8.8 FZB



| d | M4 | M5 | M6 | M8 |
|---|-----|-----|----|-----|
| N | 7 | 8 | 10 | 13 |
| H | 2,8 | 3,5 | 4 | 5,5 |

PRIS PR. 100 STK.

| | | | | |
|----|-------|-------|--------|--------|
| 6 | 330:- | | | |
| 8 | 330:- | 372:- | | |
| 10 | 348:- | 398:- | 510:- | |
| 12 | 353:- | 413:- | 540:- | 930:- |
| 14 | | 535:- | 530:- | |
| 16 | 395:- | 453:- | 565:- | 1015:- |
| 18 | | | | |
| 20 | 413:- | 473:- | 615:- | 1205:- |
| 25 | 416:- | 580:- | 710:- | 1100:- |
| 30 | | 590:- | 755:- | 1130:- |
| 35 | | | 1025:- | 1485:- |
| 40 | | | 1080:- | 1640:- |
| 45 | | | | 1560:- |
| 50 | | | 1100:- | 1680:- |
| 60 | | | | |


BEST.EX: DIN 933 8.8 M4 x 6 FZB
DATA.EX: 933SP8040061

PAKKEPROGRAM

| M4 | M5 | M6 | M8 |
|-----------------------------|----|----|----|
| 100 STK. I ALLE DIMENSIONER | | | |

STÅLBOLT MED FLANGE

8.8 FZB




| d | M5 | M6 | M8 | M10 | M16 | M12 | |
|---|-------|--------|-------|---|------|--------|------------------------------------|
| N | 8 | 10 | 12 | 14 | 21 | 17 | |
| H | 5 | 6,5 | 8,2 | 10 | 16,9 | 11,5 | OBS M12 leveres som Volvo standard |
| d2 | 11 | 13,8 | 17,7 | 21,6 | 35 | 26 | |
| PRIS PR. 100 STK. | | | | | | | |
| 8 | 390:- | | | | | | |
| 10 | 104:- | 93:- | | | | | |
| 12 | 109:- | 91:- | 290:- | | | | |
| 14 | | 99:- | | | | | |
| 16 | 169:- | 94:- | | 690:- | | | |
| 20 | 198:- | 105:- | | 415:- | | | |
| 25 | | 125:- | | 435:- | | | |
| 30 | 334:- | | | 480:- | | | |
| 35 | | | | 500:- * | | | |
| 40 | | | | 520:- * | | | |
| 45 | | | | 650:- * | | | |
| 50 | | | | 710:- * | | | |
| 55 | | | | | | 1620:- | |
| 60 | | | | 990:- * | | 1900:- | |
| 70 | | | | 1200:- * | | | |
| 80 | | | | 1400:- * 14900:- | | | |
| 90 | | | | | | | |
| 100 | | | | 1600:- * | | | |
| 110 | | 1197:- | | | | | |
| 120 | | 1282:- | | | | | |
| 130 | | 1866:- | | | | | |
| BEST.EX: STÅLBOLT 8.8 M5 x 8 FZB | | | | BEST.EX: STÅLBOLT 8.8 M12 x 50 FZB | | | |
| DATA.EX: M6SF8050081 | | | | DATA.EX: M6SFV120501 | | | |
| *OBS Sætskrue | | | | enl. Volvo Standard | | | |

STÅLBOLT MED FLANGE

DIN 6921

8.8 FZB




| d | M6 | M8 | M10 | M12 | M14 | M16 | |
|--|--------------------------|-------|--------|---|--------|------|--|
| N | 10 | 13 | 15 | 16 | 18 | 21 | |
| H | 6,6 | 8,1 | 9,2 | 11,5 | 12,8 | 14,4 | |
| d2 | 14,2 | 18 | 22,3 | 26,6 | 30,5 | 35 | |
| L | PRIS PR. 100 STK. | | | | | | |
| 12 | | 290:- | | | | | |
| 14 | | 380:- | | | | | |
| 16 | 94:- | 172:- | | | | | |
| 20 | 105:- | 175:- | 415:- | 880:- | | | |
| 25 | 125:- | 195:- | 435:- | 880:- | | | |
| 30 | 170:- | 250:- | 480:- | 890:- | 4900:- | | |
| 35 | | | 500:- | 950:- | | | |
| 40 | 225:- | 295:- | 520:- | 950:- | | | |
| 45 | | | | 1600:- | | | |
| 50 | 270:- | 450:- | 750:- | 1620:- | 8031:- | | |
| 55 | | 667:- | 990:- | 1800:- | | | |
| 60 | | 750:- | | 1900:- | | | |
| 70 | | | 1200:- | 1950:- | | | |
| 80 | | | | | | | |
| 90 | | | 1500:- | 2300:- | | | |
| 130 | | | | 9700:- | | | |
| BEST.EX: DIN 6921 8.8 M6 x 16 FZB | | | | BEST.EX: DIN 6921 8.8 M12 x 50 FZB | | | |
| DATA.EX: 69218060161 | | | | DATA.EX: M6SFV120501 | | | |

PAKKEPROGRAM

| STK. | M6SF | M5 | M6 | M8 | M10 | M12 | M16 | DIN 6921 | M6 | M8 | M10 | M12 | M14 | M16 |
|------|------|------|-------|---------|--------|-------|-----|----------|-------|-------|-------|-------|-----|-----|
| 200 | | 8-30 | 10-20 | 12 | 16-25 | | | | 16-50 | 12-40 | 20-30 | | | |
| 100 | | | | 110-130 | 30-100 | | | | | 50-60 | 35-90 | 20-40 | | |
| 50 | | | | | | 50-60 | | | | | | 45-90 | 30 | 50 |
| 25 | | | | | | | 80 | | | | | | 130 | |

TENSILOK® MED LÅSETÆNDER

KLASSE 90 UBEHANDLET




| d | M5 | M6 | M8 | M10 | M12 | M16 |
|----|--|-------|--------|--------|--------|--------|
| N | 8 | 10 | 13 | 15 | 17 | 22 |
| H | 4,3 | 5,5 | 7 | 7,9 | 10 | 14 |
| d2 | 11,2 | 14,2 | 18,2 | 21 | 24 | 31 |
| L | PRIS PR. 100 STK | | | | | |
| 10 | 553:- | 578:- | | | | |
| 12 | 593:- | 550:- | 838:- | | | |
| 14 | 600:- | 583:- | 838:- | | | |
| 16 | 595:- | 568:- | 818:- | 1330:- | | |
| 18 | | 595:- | | | | |
| 20 | | 595:- | 848:- | 1310:- | 1855:- | |
| 25 | | 673:- | 913:- | 1380:- | 1965:- | 4850:- |
| 30 | | | 985:- | 1440:- | 2020:- | 5575:- |
| 35 | | | | | 2230:- | 5575:- |
| 40 | | | 1080:- | | 2320:- | 5925:- |
| 45 | | | | | | 6175:- |
| 50 | | | | | | 6600:- |
| 55 | | | | | | 7725:- |
| 60 | | | | | | 8000:- |
| 70 | | | | | | 8150:- |
| | BEST.EX: TENSILOK® KLASSE 90 M5 x 10 UBEHANDLET | | | | | |
| | DATA.EX: TENSIL05010 | | | | | |

STÅLBOLT MED FLANGE OG LÅSETÆNDER

(DIN 6921)

8.8 FZB



| d | M5 | M6 | M8 | M10 | M12 |
|----|---|-------|-------|-------|-------|
| N | 8 | 10 | 13 | 15 | 16 |
| H | 5,4 | 6,6 | 8,1 | 9,2 | 11,5 |
| d2 | 11,2 | 14,2 | 18 | 22,3 | 26,6 |
| | PRIS PR. 100 STK. | | | | |
| 10 | 478:- | 95:- | | | |
| 12 | | 97:- | 197:- | | |
| 14 | | | 199:- | | |
| 16 | | 98:- | 190:- | | |
| 20 | | 140:- | 186:- | 280:- | |
| 25 | | | 211:- | 319:- | 685:- |
| 30 | | | | 360:- | |
| 35 | | | | | 792:- |
| | BEST.EX: DIN 6921 8.8 M6 x 10 MED FLANGE OG LÅSETÆNDER FZB | | | | |
| | DATA.EX: M6SZ060101 | | | | |

PAKKEPROGRAM


| STK. | M5 | M6 | M8 | M10 | M12 | M16 |
|------|-------|-------|-------|-------|-------|-------|
| 200 | 10-16 | 10-25 | 12-40 | 16-30 | | |
| 100 | | | | | 20-40 | |
| 50 | | | | | | 25-70 |

STÅLKONSTRUKTIONSBOLT

MED STOR NØGLEVIDDE

DIN 6914 (-ISO 7412)

10.9 UBEHANDLET



| d | M12 | M16 | M20 | M22 | M24 | M27 |
|-----|-------------------|---------|---------|---------|---------|---------|
| N | 22 | 27 | 32 | 36 | 41 | 46 |
| H | 8 | 10 | 13 | 14 | 15 | 17 |
| gl* | 21/23 | 26/28 | 31/33 | 32/34 | 34/37 | 37/39 |
| L | PRIS PR. 100 STK. | | | | | |
| 30 | 2160:- | | | | | |
| 35 | 2360:- | | | | | |
| 40 | 2360:- | 3720:- | | | | |
| 45 | 2540:- | 4000:- | 7480:- | | | |
| 50 | 2660:- | 4260:- | 7180:- | 15640:- | 12040:- | |
| 55 | 2860:- | 4460:- | 7180:- | 15640:- | 12040:- | |
| 60 | 3000:- | 4640:- | 7500:- | 15640:- | 11720:- | |
| 65 | 3780:- | 4880:- | 7840:- | 16120:- | 11720:- | |
| 70 | 3980:- | 5180:- | 8160:- | 16500:- | 12200:- | 20380:- |
| 75 | | 5500:- | 8400:- | 17180:- | 12560:- | 20620:- |
| 80 | | 5660:- | 8740:- | 17660:- | 12900:- | 21260:- |
| 85 | | 6420:- | 9400:- | 18640:- | 13620:- | 22240:- |
| 90 | | 6420:- | 9400:- | 18640:- | 13620:- | 22240:- |
| 95 | | 8300:- | 9740:- | 19620:- | 14340:- | 23280:- |
| 100 | | 8300:- | 9740:- | 19620:- | 14340:- | 23280:- |
| 105 | | 14880:- | 10820:- | 20620:- | 15060:- | 24340:- |
| 110 | | 14880:- | 10820:- | 20620:- | 15060:- | 24340:- |
| 115 | | 16880:- | 11260:- | 22040:- | 15940:- | 25540:- |
| 120 | | 21100:- | 13400:- | 22040:- | 15940:- | 25540:- |
| 125 | | 23560:- | 14060:- | 23140:- | 16860:- | 25900:- |
| 130 | | 23560:- | 14060:- | 23140:- | 16860:- | 25900:- |
| 135 | | | | | 17760:- | 27080:- |
| 140 | | | | | 21120:- | 27080:- |
| 145 | | | | | 22160:- | 33800:- |
| 150 | | | | | 22160:- | 33800:- |
| 155 | | | | | | 35180:- |
| 160 | | | | | | 35180:- |

*Gevindlængde over linien

BEST.EX: DIN 6914 10.9 M12 x 30 UBEHANDLET
DATA.EX: 69141012030

PAKKEPROGRAM

| STK. | M12 | M16 | M20 | M22 | M24 | M27 |
|------|-------|--------|--------|--------|--------|--------|
| 50 | 30-70 | | | | | |
| 25 | | 40-130 | 45-130 | 50-130 | 50-150 | 70-160 |

TILBEHØR FOR STÅLKONSTRUKTIONSBOLT

6-KANTMØTRIKK KLASSE 10, DIN 6915 (~ ISO 7414)

| | M12 | M16 | M20 | M22 | M24 | M27 |
|------|--------|--------|--------|--------|--------|--------|
| UBEH | 1140:- | 1640:- | 2660:- | 3220:- | 4320:- | 6720:- |

SKIVE STÅL C45, DIN 6916 HV 295-350 (~ ISO 7416)


| | 13 | 17 | 21 | 23 | 25 | 28 | 31 | 34 | 37 |
|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|
| UBEH | 290:- | 495:- | 590:- | 700:- | 895:- | 1900:- | 3567:- | 6287:- | 6900:- |
| FZB | 330:- | 668:- | 776:- | 790:- | 1209:- | 2100:- | 3900:- | | |

STÅLKONSTRUKTIONSBOLT

MED STOR NØGLEVIDDE

DIN 6914 (~ISO 7412)

10.9 FZV OVERMÅL



| d | M12 | M16 | M20 | M22 | M24 | M27 |
|----------|--------------------------|---------|---------|---------|---------|---------|
| N | 22 | 27 | 32 | 36 | 41 | 46 |
| H | 8 | 10 | 13 | 14 | 15 | 17 |
| gl* | 21/23 | 26/28 | 31/33 | 32/34 | 34/37 | 37/39 |
| L | PRIS PR. 100 STK. | | | | | |
| 30 | 2808:- | | | | | |
| 35 | 3068:- | | | | | |
| 40 | 3068:- | 4836:- | | | | |
| 45 | 3302:- | 5200:- | 9724:- | | | |
| 50 | 3458:- | 5538:- | 9334:- | 15652:- | | |
| 55 | 3718:- | 5798:- | 9334:- | | | |
| 60 | 3900:- | 6032:- | 9750:- | | 15236:- | |
| 65 | | 6344:- | 10192:- | | 15236:- | |
| 70 | 5174:- | 6734:- | 10608:- | 21450:- | 15860:- | 26494:- |
| 75 | | 7150:- | 10920:- | | 16328:- | 26806:- |
| 80 | | 7358:- | 11362:- | 22958:- | 16770:- | 27638:- |
| 85 | | 8346:- | 12220:- | 24232:- | 17706:- | 28912:- |
| 90 | | 8346:- | 12220:- | 24232:- | 17706:- | 28912:- |
| 95 | | 10790:- | 12662:- | 25506:- | 18642:- | 30264:- |
| 100 | | 10790:- | 12662:- | 25506:- | 18642:- | 30264:- |
| 105 | | | 14066:- | 26806:- | 19578:- | |
| 110 | | 19344:- | 14066:- | 26806:- | 19578:- | 31642:- |
| 115 | | | 14638:- | 28652:- | 20722:- | |
| 120 | | 27430:- | 17420:- | 28652:- | 20722:- | 33202:- |
| 125 | | | | | 21918:- | |
| 130 | | 30628:- | 18278:- | | 21918:- | 33670:- |
| 135 | | | | | 23088:- | |
| 140 | | | | | 27456:- | 35204:- |
| 145 | | | | | 28808:- | |
| 150 | | | | | 28808:- | 43940:- |
| 155 | | | | | | |
| 160 | | | | | | 45734:- |

*Gevindlængde over linien

BEST.EX: DIN 6914 10.9 M12 x 30 FZV
DATA.EX: 691410120302

PAKKEPROGRAM

| STK. | M12 | M16 | M20 | M22 | M24 | M27 |
|------|-------|--------|--------|--------|--------|--------|
| 50 | 30-70 | | | | | |
| 25 | | 40-130 | 45-130 | 70-120 | 50-150 | 70-160 |


TILBEHØR FOR STÅLKONSTRUKTIONSBOLT

| 6-KANTMØTRIKK KLASSE 10 FZV OVERDIMENSION (6 AZ<), DIN 6915 (~ ISO 7414) | | | | | | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | M12 | M16 | M20 | M22 | M24 | M27 | | | |
| FZV | 1482:- | 2132:- | 3458:- | 4186:- | 5616:- | 8736:- | | | |
| SKIVE STÅL C45 FZV, DIN 6916 HV 295 - 350 (~ ISO 7416) | | | | | | | | | |
| | 13 | 17 | 21 | 23 | 25 | 28 | 31 | 34 | 37 |
| FZV | 377:- | 644:- | 767:- | 910:- | 1164:- | 2470:- | 4638:- | 8174:- | 8970:- |

STÅLBOLT UNF-GEVIND

ANSI B 18.2.1 (SS 1944)

8.8 UBEHANDLET



| d | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|-----------|-------------------|--------|--------|---------|--------|---------|---------|---------|---------|
| N | 1/2 | 9/16 | 5/8 | 3/4 | 13/16 | 15/16 | 1 1/8 | 1 5/16 | 1 1/2 |
| H | 5,2 | 6 | 7,1 | 7,9 | 9,1 | 9,9 | 11,9 | 13,9 | 15,5 |
| L | PRIS PR. 100 STK. | | | | | | | | |
| 1/2 13 | 268:- | 453:- | | | | | | | |
| 5/8 16 | 288:- | 393:- | | | | | | | |
| 3/4 19 | 293:- | 393:- | 628:- | 715:- | | | | | |
| 7/8 22 | 298:- | 400:- | 640:- | | | | | | |
| 1" 25 | 308:- | 410:- | 640:- | 765:- | 1650:- | 1548:- | | | |
| 1 1/4 32 | 335:- | 450:- | 688:- | 820:- | 1800:- | 1758:- | | | |
| 1 1/2 38 | 373:- | 488:- | 795:- | 908:- | 1850:- | 1758:- | 2775:- | | |
| 1 3/4 45 | 420:- | 563:- | 993:- | 1040:- | 2150:- | 1930:- | | | |
| 2" 51 | 450:- | 610:- | 993:- | 1138:- | 2475:- | 2415:- | 3248:- | 8940:- | 10500:- |
| 2 1/4 57 | 498:- | 668:- | 1536:- | 1195:- | | 2618:- | | | |
| 2 1/2 64 | 525:- | 735:- | 1536:- | 1395:- | 3384:- | 2618:- | 3820:- | 9400:- | 12180:- |
| 2 3/4 70 | 894:- | 963:- | 1902:- | 1809:- | | 2913:- | 5019:- | 9480:- | |
| 3" 76 | 894:- | 963:- | 1902:- | 1809:- | 3795:- | 2913:- | 5019:- | 9480:- | 12200:- |
| 3 1/4 83 | 948:- | | 2064:- | | | | | | 12360:- |
| 3 1/2 89 | 990:- | | 2145:- | 2349:- | 4374:- | 3285:- | 5799:- | 10320:- | 13620:- |
| 4" 102 | | 1491:- | 2394:- | 2640:- | 4785:- | 3505:- | 6324:- | 11160:- | 14820:- |
| 4 1/2 114 | | | | 3135:- | | 3743:- | 6702:- | 12375:- | 15660:- |
| 5" 127 | | | | 5775:- | 6930:- | 5158:- | 7839:- | 13200:- | 16500:- |
| 5 1/2 140 | | | | | | 5500:- | 8664:- | | 17700:- |
| 6" 152 | | | | 7260:- | | 7839:- | 9489:- | 14850:- | 19380:- |
| 7" 178 | | | | 16500:- | | 9489:- | 13200:- | 17340:- | 22260:- |
| 8" 203 | | | | | | 10725:- | 14820:- | 18960:- | 24720:- |
| 9" 229 | | | | | | | | | 31740:- |
| 10" 254 | | | | | | | | | 54480:- |
| 12" 305 | | | | | | | | | 61440:- |

BEST.EX: STÅLBOLT 8.8 5/16 UNF x 1/2 UBEHANDLET
DATA.EX: U6S8516NF013


PAKKEPROGRAM

| STK. | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|------|-------|-------|--------|---------|--------|--------|--------|---------|---------|
| 100 | 13-89 | 13-76 | 19-51 | | | | | | |
| 50 | | 102 | 57-102 | 19-89 | | | | | |
| 25 | | | | 102-178 | 25-127 | 25-203 | 38-203 | 51-102 | 51-102 |
| 10 | | | | | | | | 114-203 | 114-305 |

STÅLBOLT UNF-GEVIND

ANSI B 18.2.1 (SS 1944)

8.8 FZB



| d | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|-----------|-------------------|--------|--------|--------|--------|--------|---------|---------|---------|---------|
| N | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 13/16 | 15/16 | 1 1/8 | 1 5/16 | 1 1/2 |
| H | 4 | 5,2 | 6 | 7,1 | 7,9 | 9,1 | 9,9 | 11,9 | 13,9 | 15,5 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 3/8 10 | 288:- | | | | | | | | | |
| 1/2 13 | 264:- | 335:- | 540:- | | | | | | | |
| 5/8 16 | 294:- | 365:- | 450:- | | | | | | | |
| 3/4 19 | 294:- | 365:- | 480:- | 775:- | 895:- | | 4900:- | | | |
| 7/8 22 | 336:- | 385:- | 513:- | 960:- | 1146:- | | | | | |
| 1" 25 | 348:- | 385:- | 513:- | 800:- | 955:- | 2340:- | 1935:- | | | |
| 1 1/4 32 | 348:- | 405:- | 620:- | 980:- | 1135:- | 2580:- | 2195:- | 4095:- | | |
| 1 1/2 38 | 393:- | 450:- | 595:- | 1140:- | 1135:- | 2640:- | 2195:- | 3413:- | 14900:- | |
| 1 3/4 45 | 516:- | 510:- | 690:- | 1200:- | 1300:- | 3180:- | 2850:- | 4058:- | 10380:- | |
| 2" 51 | 516:- | 545:- | 750:- | 1200:- | 1425:- | 3240:- | 2900:- | 4058:- | 10620:- | |
| 2 1/4 57 | 678:- | 600:- | 835:- | 1860:- | 1500:- | 3960:- | 3100:- | 4600:- | 11520:- | |
| 2 1/2 64 | 678:- | 630:- | 910:- | 1860:- | 1700:- | 4020:- | 3150:- | 4600:- | 11520:- | 14520:- |
| 2 3/4 70 | 942:- | 1074:- | 1200:- | 2280:- | 1840:- | | 3500:- | 6000:- | 11220:- | 14500:- |
| 3" 76 | 990:- | 1074:- | 1218:- | 2280:- | 1850:- | 4500:- | 3550:- | 6120:- | 11280:- | 14400:- |
| 3 1/4 83 | 1038:- | 1140:- | 1524:- | 2460:- | 2790:- | | 4710:- | 6960:- | 11880:- | 14820:- |
| 3 1/2 89 | 1092:- | 1188:- | 1548:- | 2580:- | 2820:- | 5220:- | 4740:- | 7020:- | 12360:- | 16080:- |
| 3 3/4 95 | | | | 2670:- | 2970:- | | 5040:- | | | |
| 4" 102 | 1200:- | 1410:- | 1800:- | 2880:- | 3180:- | 5640:- | 5070:- | 7680:- | 13380:- | 17220:- |
| 4 1/2 114 | | 1584:- | 2520:- | 3570:- | 3780:- | 6300:- | 5520:- | 8160:- | 14820:- | |
| 5" 127 | 2340:- | 2184:- | 2700:- | 3780:- | 6840:- | 8280:- | 7380:- | 9420:- | 15840:- | 19800:- |
| 5 1/2 140 | 3000:- | 2700:- | 2880:- | 3960:- | 8340:- | 9120:- | 7920:- | 10440:- | 16740:- | 21240:- |
| 6" 152 | 3120:- | 2790:- | 3180:- | 4140:- | 8580:- | 9420:- | 9360:- | 11400:- | 17700:- | 23220:- |
| 6 1/2 165 | | | | | | | | | 18600:- | |
| 7" 178 | | | | | | | | | 15600:- | 20760:- |
| 7 1/2 190 | | | | | | | | | 16200:- | |
| 8" 203 | | | | | | | 14600:- | 17700:- | | 29640:- |

BEST.EX: STÅLBOLT 8.8 1/4 UNF x 3/8 FZB
DATA.EX: U6S814NF0101


PAKKEPROGRAM

| STK. | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|------|--------|--------|--------|--------|---------|--------|--------|--------|---------|---------|
| 100 | 10-152 | 13-152 | 13-76 | 19-51 | | | | | | |
| 50 | | | 83-152 | 57-152 | 19-95 | | | | | |
| 25 | | | | | 102-152 | 25-152 | 19-203 | 32-203 | 38-102 | 64-102 |
| 10 | | | | | | | | | 114-178 | 127-203 |

STÅLBOLT UNC-GEVIND

ANSI B 18.2.1 (SS 1943)

8.8 UBEHANDLET



| d | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 |
|-----------|-------------------|--------|--------|--------|---------|---------|---------|
| N | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 13/16 | 15/16 |
| H | 4 | 5,2 | 6 | 7,1 | 7,9 | 9,1 | 9,9 |
| L | PRIS PR. 100 STK. | | | | | | |
| 3/8 10 | 249:- | | | | | | |
| 1/2 13 | 175:- | 268:- | 453:- | | | | |
| 5/8 16 | 190:- | 288:- | 393:- | | 970:- | | |
| 3/4 19 | 198:- | 293:- | 393:- | 753:- | 715:- | | |
| 7/8 22 | 208:- | 298:- | 400:- | | 918:- | | |
| 1" 25 | 243:- | 308:- | 410:- | 640:- | 765:- | | 1548:- |
| 1 1/4 32 | 243:- | 335:- | 450:- | 688:- | 820:- | | 1758:- |
| 1 1/2 38 | 273:- | 373:- | 488:- | 795:- | 908:- | | 1758:- |
| 1 3/4 45 | 360:- | 420:- | 563:- | 993:- | 1038:- | | 1930:- |
| 2" 51 | 360:- | 450:- | 610:- | 993:- | 1138:- | | 2415:- |
| 2 1/4 57 | 473:- | 498:- | 668:- | | 1195:- | 10692:- | 2618:- |
| 2 1/2 64 | 473:- | 525:- | 735:- | 1536:- | 1395:- | | 2618:- |
| 2 3/4 70 | 783:- | 894:- | 963:- | 1902:- | 1809:- | | 2913:- |
| 3" 76 | 825:- | 894:- | 963:- | 1902:- | 1809:- | | 2913:- |
| 3 1/4 83 | 867:- | 948:- | 1260:- | 2064:- | 2325:- | | 3942:- |
| 3 1/2 89 | 909:- | 990:- | 1260:- | 2145:- | 2349:- | | 3942:- |
| 3 3/4 95 | | 1071:- | 1491:- | | 2475:- | | 4206:- |
| 4" 102 | | 1155:- | 1491:- | 2394:- | 2640:- | | 4206:- |
| 4 1/2 114 | | | 2145:- | 2970:- | 3135:- | | 4491:- |
| 5" 127 | | 1824:- | 2229:- | 3135:- | 5775:- | | 6189:- |
| 5 1/2 140 | | | 2394:- | | 7095:- | | |
| 6" 152 | | | 2640:- | | 7260:- | | 7839:- |
| 6 1/2 165 | | | | | 16089:- | | 8664:- |
| 6 3/4 172 | | | | | | | |
| 7" 178 | | | 8400:- | | 16500:- | | 9489:- |
| 7 1/2 191 | | | | | | | 9900:- |
| 8" 203 | | | 9060:- | | 17325:- | | 10725:- |
| 9" 229 | | | | | | | 15594:- |
| 10" 254 | | | | | | | 26235:- |

BEST.EX: STÅLBOLT 8.8 1/4 UNC x 3/8 UBEHANDLET
DATA.EX: U6S814010


PAKKEPROGRAM

| STK. | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 |
|------|-------|--------|--------|--------|--------|------|--------|
| 100 | 10-89 | 13-127 | 13-76 | 19-76 | 16-51 | | |
| 50 | | | 83-203 | 83-127 | 57-89 | 57 | 25-51 |
| 25 | | | | | 95-203 | | 57-254 |

STÅLBOLT UNC-GEVIND

ANSI B 18.2.1 (SS 1943)

8.8 UBEHANDLET



| d | 3/4 | 7/8 | 1" | 1 1/4 | 1 1/2 |
|-----------|--------------------------|---------|---------|---------|----------|
| N | 1 1/8 | 1 5/16 | 1 1/2 | 1 7/8 | 2 1/4 |
| H | 11,9 | 13,9 | 15,5 | 19,8 | 23,8 |
| L | PRIS PR. 100 STK. | | | | |
| 1" 25 | 3240:- | | | | |
| 1 1/4 32 | 3330:- | | | | |
| 1 1/2 38 | 2775:- | 8700:- | | | |
| 1 3/4 45 | 3055:- | 8700:- | | | |
| 2" 51 | 3248:- | 8940:- | 10500:- | | |
| 2 1/4 57 | 3820:- | 9660:- | 12180:- | | |
| 2 1/2 64 | 3820:- | 9780:- | 12180:- | 30000:- | |
| 2 3/4 70 | 5019:- | 9480:- | 16500:- | 31500:- | |
| 3" 76 | 5019:- | 9480:- | 12000:- | 33150:- | |
| 3 1/4 83 | 5799:- | 9900:- | 12360:- | 34050:- | 60000:- |
| 3 1/2 89 | 5799:- | 10320:- | 13620:- | 34650:- | 60900:- |
| 3 3/4 95 | 6324:- | | | | |
| 4" 102 | 6324:- | 11160:- | 14820:- | 35400:- | 61500:- |
| 4 1/2 114 | 6702:- | 12375:- | 15660:- | 36000:- | 63750:- |
| 5" 127 | 7839:- | 13200:- | 16500:- | 36450:- | 64650:- |
| 5 1/2 140 | 8664:- | 13980:- | 17700:- | 37200:- | 65850:- |
| 6" 152 | 9489:- | 14850:- | 19380:- | 37800:- | 66900:- |
| 6 1/2 165 | 11964:- | 15675:- | 20160:- | 42000:- | 68400:- |
| 7" 178 | 13200:- | 17340:- | 22260:- | 42900:- | 69300:- |
| 7 1/2 119 | | | 23100:- | | |
| 8" 203 | 14820:- | 18960:- | 24720:- | 44400:- | 71100:- |
| 9" 229 | 18480:- | 24480:- | 35400:- | 46500:- | 84000:- |
| 10" 254 | 31680:- | 42600:- | 54480:- | 49500:- | 86100:- |
| 11" 279 | | | 57900:- | 53250:- | |
| 12" 305 | | | | 56400:- | 100500:- |

BEST.EX: STÅLBOLT 8.8 3/4 UNC x 1" UBEHANDLET
DATA.EX: U6S834025


PAKKEPROGRAM

| STK. | 3/4 | 7/8 | 1" | 1 1/4 | 1 1/2 |
|------|---------|---------|---------|--------|--------|
| 25 | 25-152 | 38-102 | 51-102 | | |
| 10 | 165-254 | 114-254 | 114-279 | 64-305 | |
| LØSE | | | | | 83-305 |

STÅLBOLT UNC-GEVIND

ANSI B 18.2.1 (SS 1943)

8.8 FZB



| d | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|-----------|--------------------------|--------|---------|--------|---------|---------|---------|---------|---------|---------|
| N | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 13/16 | 15/16 | 1 1/8 | 1 5/16 | 1 1/2 |
| H | 4 | 5,2 | 6 | 7,1 | 7,9 | 9,1 | 9,9 | 11,9 | 13,9 | 15,5 |
| L | PRIS PR. 100 STK. | | | | | | | | | |
| 3/8 10 | 240:- | 543:- | | | | | | | | |
| 1/2 13 | 150:- | 268:- | 480:- | | | | | | | |
| 5/8 16 | 150:- | 239:- | 360:- | 930:- | 990:- | | | | | |
| 3/4 19 | 160:- | 240:- | 280:- | 460:- | 735:- | | 4900:- | | | |
| 7/8 22 | 229:- | 290:- | 410:- | 950:- | 1025:- | | | | | |
| 1" 25 | 185:- | 249:- | 290:- | 550:- | 575:- | 2470:- | 1400:- | 3900:- | | |
| 1 1/4 32 | 193:- | 295:- | 296:- | 680:- | 580:- | 2500:- | 1450:- | 4000:- | | |
| 1 1/2 38 | 262:- | 320:- | 370:- | 690:- | 595:- | 2500:- | 1490:- | 2200:- | 10320:- | |
| 1 3/4 45 | 344:- | 408:- | 495:- | 980:- | 720:- | 3000:- | 1500:- | 2500:- | 10380:- | |
| 2" 51 | 344:- | 415:- | 420:- | 990:- | 730:- | 3100:- | 1600:- | 2550:- | 10620:- | 12540:- |
| 2 1/4 57 | 452:- | 480:- | 668:- | 1600:- | 930:- | 3200:- | 1900:- | 2600:- | 11520:- | 14520:- |
| 2 1/2 64 | 452:- | 504:- | 720:- | 1300:- | 1100:- | 3300:- | 1950:- | 2650:- | 11520:- | 14520:- |
| 2 3/4 70 | 628:- | 716:- | 958:- | 1950:- | 1200:- | 3900:- | 2390:- | 2900:- | 11220:- | 19800:- |
| 3" 76 | 660:- | 716:- | 960:- | 1500:- | 1200:- | 4000:- | 2400:- | 3100:- | 11280:- | 14400:- |
| 3 1/4 83 | 692:- | 760:- | 1250:- | 2190:- | 1936:- | 4900:- | 3000:- | 3600:- | 11880:- | 14820:- |
| 3 1/2 89 | 728:- | 792:- | 1032:- | 2250:- | 2100:- | 4900:- | 3100:- | 3700:- | 12360:- | 16080:- |
| 3 3/4 95 | | 1290:- | 1788:- | | 2200:- | | 5040:- | 7620:- | | |
| 4" 102 | 800:- | 1175:- | 1055:- | 2350:- | 2200:- | 5000:- | 3150:- | 4050:- | 13380:- | 17220:- |
| 4 1/2 114 | 1520:- | 1320:- | 2190:- | 3100:- | 2600:- | 7900:- | 3800:- | 5600:- | 14820:- | 18780:- |
| 5" 127 | 1560:- | 1820:- | 2300:- | 3300:- | 3500:- | 8200:- | 5000:- | 5700:- | 15840:- | 19800:- |
| 5 1/2 140 | 2000:- | 2400:- | 2400:- | 3500:- | 5500:- | 9900:- | 5700:- | 7200:- | 16740:- | 21240:- |
| 6" 152 | 2080:- | 2400:- | 2750:- | 3700:- | 5800:- | 12000:- | 6300:- | 7400:- | 17700:- | 23220:- |
| 6 1/2 165 | | | | | 19200:- | | 10380:- | 14340:- | 18600:- | 24180:- |
| 7" 178 | | | 9780:- | | 19800:- | | 11340:- | 15600:- | 20760:- | 26700:- |
| 7 1/2 191 | | | 10500:- | | 20100:- | 14900:- | | 16200:- | 21300:- | |
| 8" 203 | | | 10800:- | | 20820:- | | 12840:- | 17700:- | 22740:- | 29640:- |
| 9" 229 | | | | | | | 18660:- | 21900:- | 29340:- | 38040:- |
| 10" 254 | | | | | | | 31500:- | 34800:- | 49800:- | 64200:- |

BEST.EX: STÅLBOLT 8.8 1/4 UNC x 3/8 FZB
DATA.EX: U6S8140101


PAKKEPROGRAM

| STK. | 1/4 | 5/16 | 3/8 | 7/16 | 1/2 | 9/16 | 5/8 | 3/4 | 7/8 | 1" |
|------|--------|--------|--------|---------|--------|--------|---------|---------|---------|---------|
| 100 | 10-152 | 10-152 | 13-76 | 16-76 | 16-51 | | | | | |
| 50 | | | 83-203 | 83-89 | 57-89 | 25-76 | 19-51 | | | |
| 25 | | | | 102-152 | 95-203 | 83-191 | 57-203 | 25-152 | 38-102 | 51-102 |
| 10 | | | | | | | 229-254 | 165-254 | 114-254 | 114-254 |

STÅLBOLT UNC-GEVIND

ANSI B 18.2.1 (SS 1943)

8.8 FZV



| d | 1/4 | 1/2 | 5/8 | 3/4 | 7/8 | 1" |
|--|--------------------------|--------|--------|---------|--------|----------------------------|
| N | 7/16 | 3/4 | 15/16 | 1 1/8 | 1 5/16 | 1 1/2 |
| H | 4 | 7,9 | 9,9 | 11,9 | 13,9 | 15,5 |
| L | PRIS PR. 100 STK. | | | | | |
| 1 1/4 32 | | | | | | |
| 1 1/2 38 | | | | 3900:- | | |
| 1 3/4 45 | | | 2400:- | 4260:- | | |
| 2" 51 | | | 2475:- | 4380:- | | 12375:- |
| 2 1/4 57 | | | | 4800:- | | |
| 2 1/2 64 | 350:- | | | 4995:- | 8100:- | 13125:- |
| 2 3/4 70 | | | | 9600:- | | |
| 3" 76 | | | 3450:- | 5115:- | 8700:- | |
| 3 1/4 83 | 460:- | | | | | |
| 3 1/2 89 | | | 4050:- | 6000:- | | 16050:- |
| 4" 102 | | 4725:- | 8300:- | 6930:- | | 17250:- |
| 4 1/2 114 | | | | | | 18750:- |
| 5" 127 | | 6630:- | 8400:- | | | 19950:- |
| 6" 152 | | 8175:- | 8700:- | 12375:- | | 24300:- |
| BEST.EX: STÅLBOLT 8.8 1/4 x 2 1/2 FZV | | | | | | |
| DATA.EX: U6S8140642 | | | | | | OBS! Begrænset lager udgår |


PAKKEPROGRAM

| STK. | 1/4 | 1/2 | 5/8 | 3/4 | 7/8 | 1" |
|------|-------|---------|--------|--------|-------|---------|
| 100 | 64-83 | | | | | |
| 50 | | | 45-51 | | | |
| 25 | | 102-152 | 76-152 | 38-152 | 64-76 | 51-102 |
| 10 | | | | | | 114-152 |

STÅLBOLT W-GEVIND

BS 1083

GRADE S (8.8) UBEHANDLET, FZB



| d | W1/2 UBEH | W1/2 FZB | |
|---|--------------------------|----------|----------------------------------|
| N | 13/16 | 13/16 | |
| H | 8,71 | 8,71 | |
| | PRIS PR. 100 STK. | | PAKKEPROGRAM |
| 3/4 19 | 2463:- | 3079:- | 50 STK. I ALLE LÆNGDER |
| 1" 25 | 2499:- | 3124:- | |
| 1 1/4 32 | 2573:- | 3217:- | |
| 1 1/2 38 | 4500:- | 5400:- | |
| 1 3/4 45 | 4594:- | 5746:- | |
| 2" 51 | 4888:- | 6110:- | |
| 2 1/2 64 | 6102:- | 7628:- | |
| 3" 76 | 6543:- | 8179:- | |
| 3 1/2 89 | 7461:- | 9327:- | |
| 4" 102 | 8013:- | 10017:- | |
| BEST.EX: STÅLBOLT 8.8 W1/2 x 19 UBEHANDLET | | | |
| DATA.EX: 6KT8W12019 | | | |